BRISTOL FIRE DEPARTMENT
BOARD OF FIRE COMMISSIONERS MEETING - THURSDAY, SEPTEMBER 24, 2020
6:00 p.m.
1st Floor Meeting Room, 111 North Main Street, Bristol, CT
REVISED AGENDA

Web-Ex meeting link: https://bristolct.my.webex.com/bristolct.my/j.php?MTID=mcdc051bc59356d4f5d2c61572d27b29d
Meeting # 132 997 7253
Password123456!
Host Key: 337158

Join by video system	Dial 1329977253@bristolct.my.webex.com You can also dial 173.243.2.68 and enter your meeting number.
Join by phone	+1-408-418-9388 United States Toll +1-617-315-0704 United States Toll (Boston) Access code: 132 997 7253

1. Call To Order
2. Employee Recognition
3. Public Participation
4. Communications
5. Approval Of Meeting Minutes

5.I. Meeting Minutes Of 08-20-2020 And 08-28-2020

Documents:

FIRE BOARD MINUTES 08-20-2020 DRAFT.PDF
FIRE BOARD AGENDA 08-28-2020 SPECIAL MEETING MINUTES.PDF

6. Review And Discussion Of The Various Reports

6.I. August Reports

Documents:

ENGINE 1 AUGUST 2020.PDF
TOWER 1 AUGUST 2020.PDF
ENGINE 2 AUGUST 2020.DOCX
ENGINE 3 AUGUST 2020 MONTHLY.PDF
ENGINE 4 AUGUST 2020.PDF
ENGINE 5 AUGUST 2020.PDF
TRAINING AUGUST 2020.PDF
MECHANICAL AUGUST 2020.PDF

7. Review And Discussion Of The Incident Summary Report

7.I. FMO Report August 2020

Documents:

FMO AUGUST 2020.PDF

8. Review And Discussion Of The Chief's Report

8.I. Chief's Report August 2020

Documents:

COMMISSIONERS CHIEF REPORT AUGUST 2020.PDF

9. Committee Reports

- Apparatus
- Budget
- Building & Grounds
- Health and Safety
- Personnel
- Strategic and Long Term Planning
- City Council

10. Old Business

11. New Business

12. Adjourn

13. PER ORDER OF THE CHAIRWOMAN, MAYOR ELLEN ZOPPO-SASSU
    Lisa Wilson, Admin Assistant
    Bristol Fire Department

City of Bristol

BRISTOL, CONNECTICUT 06010

MEETING MINUTES
City of Bristol, Board of Fire Commissioners
Meeting Minutes – Thursday, August 20, 2020 at 6:00 p.m.
Council Chambers, City Hall, 111 North Main Street, Bristol, CT
Webex Meeting

Attendees: Hon. Ellen Zoppo-Sassu – Chairwoman
Brittany Barney, Commissioner
Anthony Benvenuto, Commissioner
Dana Jandreau, Commissioner
Harold Kilby, Commissioner
Sean Moore, Commissioner
Dennis Crispino, Commissioner
Chief Mark Flynn

Absent:

DRAFT

1. CALL TO ORDER

The meeting was called to order at 6:00 pm by Chairwoman Zoppo-Sassu.

2. EMPOYEE RECONITION:

Retirement of Lieutenant Kenneth Marek

Promotion of Firefighter Steven Barnosky to Lieutenant

Swearing in of Firefighter Anthony Bentivengo

Swearing in of Firefighter Jordan Terrier

3. PUBLIC PARTICIPATION:

Arianna Caldas, Property Manager of Bristol Housing Authority. Mr. Randy Bouchard, Maintenance Mechanic of BHA of Mountain Laurel Manor provided heroic actions for saving the life of a resident on July 13, 2020.

4. APPROVAL OF MINUTES

A motion was made by Commissioner Moore to approve the meeting minutes from June 25, 2020; seconded by Commissioner Barney and unanimously approved.

5. COMMUNICATIONS

None

6. REVIEW AND DISCUSSION OF THE VARIOUS REPORTS:

A motion was made by Commissioner Crispino to accept the reports and place on file; seconded by Commissioner Barney and unanimously approved.

7. REVIEW AND DISCUSSION OF THE INCIDENT SUMMARY REPORT:

A motion was made by Commissioner Jandreau to accept the reports and place on file; seconded by Commissioner Barney Moore and unanimously approved.

8. REVIEW AND DISCUSSION OF THE CHIEF'S REPORT:

9. COMMITTEE REPORTS:

- **Apparatus**
- **Budget**
- **Building and Grounds**
- **Health and Safety**
- **Personnel**
- **Strategic and long term planning**
- **City Council**

10. OLD BUSINESS:

11. NEW BUSINESS:

Chief Flynn explained the proposed sign for headquarters. It was decided to not move forward. No action required.

Request for the Board of Finance for transfer $13,980.00 is the 10% city match and the FEMA grant for the amount of $153,777.00 for Fire Officer 2 training for next year.

Motion made by Commissioner Kilby to approve the Board of Finance Grant Request. Seconded by Comissioner Jandreau. All in favor, motion approved.

Motion made by Commisioner Kilby to approve the transfer.
Seconded by Commissioner Jandreau. All in favor, motion approved.

Deputy Chief Poggio explained the obstacles that the dispatchers and firefighters faced during the storm on August 4, 2020. All parties involved performed an amazing job.

12. ADJOURNMENT

A motion was made by Commissioner Moore to adjourn the meeting at __ seconded by Commissioner Moore and unanimously approved.

Respectfully submitted by:
Lisa Wilson

BRISTOL FIRE DEPARTMENT

BOARD OF FIRE COMMISSIONERS MEETING – FRIDAY, AUGUST 28, 2020

SPECIAL MEETING MINUTES

1:00 P.M.

HEADQUARTERS FIRE HOUSE

181 NORTH MAIN STREET

BRISTOL, CONNECTICUT

AGENDA

1. CALL TO ORDER

THE MEETING SHALL CONSIST OF TOURING THE FIRE HOUSES.

Engine 1 at 181 North Main Street, Bristol

Captain Plaster explained the construction project in detail regarding the air conditioning, lighting, doors and electrical. He explained the laundry facilities and living conditions upstairs along with the kitchen area.

Engine 2 at 151 Hill Street, Bristol

Adam Hayes explained the need to properties and areas with the potential of chemical spills and they must be familiar with the companies within the area. This station specializes in water/ice rescue and are prepared for just about any incident. CP-17 is also stationed here. He explained the handling of brush fires and what is necessary. The residential properties in the area are larger and they must carry additional hose lines at all times. He discussed the reasoning for washer and dryers at each facility along with the unit to clean he gear.

Engine 5 at 285 Mix Street, Bristol

Zach Higley discussed the air conditioning and that the generator is completely undersized for the building area. There's damage to several ceiling tiles. The exercise equipment is supplied by the employees and very useful to help maintain their physical fitness.

Engine 3 at 81 Church Avenue, Bristol

Lt. Plourde welcomed the Commissioners and provided a tour of Engine 3. There are several concerns within the building including air conditioning and the lack of space. There's no separation. Adam Dellaventure and Adam Chilberg explained the drainage issues. There's a lack

of storage. There have been many accidents to the retaining wall, flag pole and building. The kitchen is cramped and there's no prep area. Desperate need for generator and air conditioning. Restroom area and sleeping quarters is in need of an overhaul.

Engine 4 at 17 Vincent P. Kelly Road, Bristol

Lt. McKearney, M. Kaczerski and J. Robotham provided a tour of the facility. The concrete is settling. Lt. McKearney informed the Commissioners of the importance of cleaning the SCBA. Captain Blaschke explained J. Kelly's job and responsibilities. He provided a tour of the bay area, laundry room, decon area and the gear room. Captain Blashchke also provided a tour of the fire training building and smoke area.

2. ADJOURN

LISA WILSON, ADMIN. ASSISTANT
BRISTOL FIRE DEPARTMENT

cc: City Clerk
City Council
Local 773

Engine #1
Monthly Report
August 2020

Summary

Engine -1 responded to 162 calls in the past month. These included 3 structure fires, 1 cooking related fire with little to no extension, 2 brush fires, 17 MVA's ranging from general scene safety to extrication, 34 power lines down, 3 gas leaks , 9 carbon monoxide investigations and 12 assisting PD / EMS.

Personnel

Nothing to report

Apparatus/Equipment

Nothing to report

Fire Stations/Facilities

Hq renovation/ upgrade is now in the third month. 100% of the building including the staff office has now been affected by the project without any area completed. We are currently waiting for upstairs lighting/ ceiling tile install, correction of line set installation to prevent dripping, kitchen cabinets/ counter tops/ tile back splash and paint.

Miscellaneous

Nothing to report

Respectfully submitted,

Jeff Neumann, Captain

Tower 1
Monthly Report
August 2020

Summary

Tower 1 responded to 87 incidents during the month of August. Notable calls included 4 building fires and numerous storm related calls due to Tropical Storm Isias early in the month. Crews have continued conducting surveys of target hazards, however only from the exterior. These totaled 14 different occupancies for a duration of 8.5 hours.

Apparatus/Equipment

Towers 1 and 2 and their respective equipment remained in service the entire month with no issues. Tower 1 was struck in the Driver's side rear while leaving the Farmer's Market causing minor damage to the bumper and rub rail. The other driver fled the scene and has yet to be identified.

Fire Stations/Facilities

The air conditioning in the upstairs portion of Fire HQ has been completed and is running well. The new system is a welcomed relief to the members of the company. Other areas of the project are finding minor delays due to ordering and shipping slowdowns due to the COVID crisis, but none of the delays are jeopardizing the project.

Miscellaneous

As you know, the Fire Commissioners toured the fire stations in late August. From a personnel perspective, it was a welcomed sight to have you see our facilities and meet some of the members. Feel free to stop by any time, the coffee is always on.

Respectfully submitted,

James Plaster, Captain

Engine 2
Monthly Report
August, 2020

Summary

Station 2 personnel responded to 71 calls for service in the month of August. Storm Isaias was responsible for many power outages throughout the city which included Station 2 and the surrounding area. Power was out for 5 days and the generator at station 2 was keeping the lights on here. The generator was supplying power but was operating at a reduced capacity. An electrician will take a look at the generator and panel to make sure it is operating properly.

Personnel

On behalf of all Station 2 personnel, I would like to welcome Lt. Steven Barnosky who was promoted to fill the vacancy left on A shift due to the retirement of Lt. Ken Marek. He has big shoes to fill but I'm confident the transition will be seamless.

Apparatus/Equipment

Engine 2 was at the drill field for annual pump and ladder testing. The testing was performed by an outside vendor and the pump and ladders received a passing grade. Engine 2 had no maintenance issues in the month of August.

Fire Stations/Facilities

Station 2 is due for a new roof and the contractor was on site to meet with Chief Flynn and Facilities Manager David Oakes to go over the details. The work is slated to begin next month. Public works maintenance has been at Station 2 repairing light fixtures and replacing old broken and stained ceiling tiles. Overhead door was also here in August to repair the main bay door.

Miscellaneous

Congratulations goes out to Lt. Ken Marek on his retirement. It was a pleasure to work with him throughout his career. He excelled at every aspect of the job and handled himself in a professional manner at every level. He will be missed.

Respectfully submitted,
Captain David J. Simard

Engine 3
August
Monthly Report
2020

Summary

During the month of August those assigned to Station 3 responded to 87 calls for service. This included the severe damage caused by the storm occurring on the 4th of August. There were also several building fires this month the members responded to. During the height of the storm the deficiencies in the generator back up at Station 3 were brought to light. I know these issues are being looked at, and will hopefully be resolved.

Personnel

Nothing this month.

Apparatus/Equipment

Nothing this month.

Fire Stations/Facilities

The AC system is still inadequate to cool the building, Chief Flynn is working with the Building Dept. to resolve this issue.

Miscellaneous

Nothing this month.

Respectfully submitted,
David Butkus, Captain

Engine 4
Monthly Report
August 2020

Summary

Engine 4 responded to 80 calls during August. Engine 6 responded to 21 calls during August. Area surveys and facility tours have continued of course under the Covid protocols.

Personnel

The crews who worked during the storm this month did an outstanding job. It was a stretch of resources in a chaotic situation, but that's where we strive.

Apparatus/Equipment

The IPad on Engine 4 was replaced this month. Also the desktop computer has been replaced at Engine 4.

Fire Stations/Facilities

Orkin has been out to set some bait traps along the exterior of the building. We have not had a problem inside any of our facilities but, there was a large deceased rodent discovered on the property. We have a contract with them and requested them out of an effort to stay ahead of this.

Miscellaneous

Engine 4 has been hosting the Fire Marshalls staff and Chief this month due to the renovation at Headquarters.

Respectfully submitted,

Todd Correll

Todd Correll, Captain

Engine Co.5

Monthly Report

August 2020

Summary

Engine Company 5 responded to 111 calls for service for the month of August. Company 5's surveys this month include 1 Dormitory complex, 1 School, 6 Apartments and 1 Shopping Plaza.

Personnel

All Station 5 personnel are currently in their assigned positions. There are several vacancies at Station 5 created from promotions.

Apparatus/Equipment

Engine 5 had its portable radio repaired this month.

Fire Stations/Facilities

Station 5 had its HVAC maintained this month after the system was inspected by HVAC people and contractors. Recommendations were made to remedy the constant condensation issues that include adding more insulation between the bay floor and living area. This repair will be the next step in a series of suggested adjustments to try until the problem is solved. The Plymo-Vent was also repaired this month by Mechanical Tech. Jay Kelly. After this month's tropical storm it was discovered that the generator at Station 5 is not wired properly, we did not have power to critical circuits like the house radios. The generator is not tied into the A/C system meaning that the Fire station must leave the big windows open for ventilation, this causes the generator exhaust to be sucked into the building causing CO levels to rise. This issue is being looked at.

Miscellaneous

Nothing to report.

Captain E.Scott England

Chief M. Flynn

BRISTOL FIRE DEPARTMENT - TRAINING DIVISION

Senior Captain James D. Blaschke - Training Officer

MONTHLY TRAINING REPORT

August 2020

Training for the month of August continued to be interrupted by the Covid-19 virus. With some of the isolation efforts lifted, some hands on training was able to be delivered during the month of August.
Preparation for the upcoming Fire Officer 1 class being held in September was completed and course dates confirmed by CFA. This national certification class will be starting on 9/9 with enrollment from New Britain, Willimantic, Suffield, Norwalk, Newtown, New Haven, Stamford and 8 members from Bristol Fire. This class is the second part of the assistance to firefighters grant that Bristol Fire was awarded.
New recruit training was the main focus of the month due to the Connecticut Fire Academy decision to postpone the start of the recruit firefighter class 66. During the 2 weeks recruits J. Terrier and A. Bentivengo completed training on blood borne pathogens, Incident command system, radio procedures, water supply, SCBA drill, PPE donning and doffing, station maintenance and truck inspections. The recruits also has a mandatory fitness assessments per Connecticut Fire Academy that were completed with assistance from Lt. J. Dufour and Chief M. Flynn.
This month was also very busy with apparatus pump testing and ladder testing being conducted. Personnel were able to compete basic ground ladder training as the ladders finished their annual testing. Various ground ladder sizes, 24, 28, 35 foot and roof ladder carries and throws were practiced.
New personal protective gear came in during the month for members that were fitted 4 months ago. These new sets of PPE are continuing the gear replacement program started in 2015. All personnel now have two sets of complainant bunker gear for use.
I completed two online training webinars during the month on the topics of Calling the Mayday and Ethanol Emergency response.
I responded to 5 incidents during the month as safety officer.
Please be safe, wash your hands and practice appropriate safety measures while we successfully deal with Covid-19.

Seminars/Meetings/Classes

- Webinar on Calling the mayday procedure, 8/4
- Assistance to firefighters grant meeting, town hall 8/7
- Webinar on Ethanol emergencies and response, 8/18
- CFA pre-attendance recruit overview webex seminar
- Munis and Firehouse software updates

Vehicle report

- 15.5 gallons fuel

Respectfully submitted,
Senior Captain James D. Blaschke

Bristol Fire Department

Mechanical Division Monthly Report

August 2020

Engine 1
- Repair door weather-stripping

Engine 3
- Repair chain saw
- Remove rear bumper, replace ICC lights, re-install bumper
- Repair discharge chains

Engine 4
- Repair discharge chains

Tower 1
- Inspect charging system after receiving a complaint, nothing found.

Miscellaneous
- Install new radio battery backup units at Station's, 2,3,5
- Annual pump testing was performed on all pumpers, 100% pass rate.
- Annual aerial and ground ladders for the entire department.
- T2-01, T1-02, E3-01 warranty repairs
- Repair attic ladder brackets on E-7
- Adjust steering on E-7
- Repair Plymo system at Station 5
- P/U donated Covid supplies at Station 4.
- Old TIC donated to Fire Museum
- Annual Hurst tool testing and inspection. E-4's pump is failing.
- F/F Chilberg: New gear bag
- Rebuild carb on Station '3 small trash pump
- Adjust brakes on E-8

Jay Kelly

Jay Kelly
Equipment Technician

Chief Flynn
Chief of Department

FIRE MARSHAL'S OFFICE

CITY OF

BRISTOL FIRE DEPARTMENT

MONTHLY REPORT

August 2020

Kristopher Lambert, Fire Marshal Elect

Mark Flynn, Fire Chief

FIRE PREVENTION BUREAU
CITY OF BRISTOL FIRE DEPARTMENT
MONTHLY REPORT
August 2020

TO: Fire Chief Mark Flynn and Bristol Fire Board Members

FROM: Kristopher Lambert, Fire Marshal Elect

SUBJECT: Monthly Report – August 2020

INCIDENTS

There were four hundred and two (402) incidents for the month of August 2020 that required computer-generated reports communicated to the State Fire Marshal's Office. There were seven (7) investigations of fire/explosions by this office. Total estimated loss for the period is $78,150 dollars.

30 Sandy Drive
287 Round Hill Rd.
35 Ruth Street
20 Case Street
568 Jerome Ave.
190 Pinehurst Rd.
62 Litchfield La.

There were zero (0) civilian injuries and fourteen (14) Firefighter injuries reported during this period (Fire Fighter injuries reported were for the purpose of exposure tracking only). There were zero (0) mutual aid calls given/received within the month. A copy of the cumulative monthly inspection reviews and permits account is included with this report.

REVIEWS, MEETINGS, MISC.

- **This office is open to the general public by appointment only until further notice. Moving forward, we strongly recommend keeping this practice in place due to the tightness of our office space and hallway, which do not lend themselves to safe social distancing. The hallway creates a confined area, and there isn't a way to maintain the recommended six foot distance within the office space.
- Fifteen (15) plans for new construction, occupancy changes, and renovations were reviewed. Some of the plans included electrical and mechanicals, including Fire Alarm and Fire Sprinkler systems. Site plan drawings are also included. Coordination and consultation regarding plan review is ongoing with other city agencies.
- The Fire Marshal's Office attended five (5) formal Site Plan Committee meeting in July to coordinate details for future Plan Review submittals in the City of Bristol. Seven (11) other site meetings attended by staff were conducted with insurance company fire investigators.

VEHICLES

Fire 3 - 2013 Ford Explorer
Fire 4 - 2012 Ford Expedition
Fire 5 - 2011 Dodge Grand Caravan
Fire 6 - 2013 Ford Expedition

Mileage and fuel usage reports for the above vehicles is generated automatically and submitted by the mechanic.

bfd

Incident Summary Report

Alarm Date Between {08/01/2020} And {08/31/2020}

Total Number of Calls:	Fire:	353	EMS:	49	Exposures:	0	Unknown:	3	All:	402
Average Calls per day:	Fire:	11.3	EMS:	1.5					All:	12.9
Total number of arson calls:		1								
Estimated Dollar Loss:	Fire:	$ 76,150	Other:	$ 2,000	All:	$ 78,150	Arson:	$ 0		
Estimated Value:	Fire:	$ 769,700	Other:	$ 0	All:	$ 769,700	Arson:	$ 0		
Percentage Saved:	Fire:	90.1%	Other:	0.0%	All:	0.0%	Arson:	0.0%		
Total Injuries:	Fire Service:	14	Civilian:	0	EMS:	0	Arson:	0		
Total Fatalities:	Fire Service:	0	Civilian:	0	EMS:	0	Arson:	0		
Total aid given calls:		1								
Total aid received calls:		1								

bfd

Bristol Incident Type Report (Summary)

Alarm Date Between {08/01/2020} And {08/31/2020}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	3	0.74%	$0	0.00%
	3	**0.74%**	**$0**	**0.00%**
1 Fire				
100 Fire, Other	1	0.24%	$2,000	2.55%
111 Building fire	5	1.24%	$44,650	57.13%
113 Cooking fire, confined to container	1	0.24%	$0	0.00%
116 Fuel burner/boiler malfunction, fire	1	0.24%	$0	0.00%
140 Natural vegetation fire, Other	3	0.74%	$0	0.00%
142 Brush or brush-and-grass mixture fire	6	1.49%	$500	0.63%
143 Grass fire	2	0.49%	$0	0.00%
161 Outside storage fire	2	0.49%	$29,000	37.10%
162 Outside equipment fire	1	0.24%	$0	0.00%
	22	**5.47%**	**$76,150**	**97.44%**
3 Rescue & Emergency Medical Service Incident				
300 Rescue, EMS incident, other	2	0.49%	$0	0.00%
311 Medical assist, assist EMS crew	15	3.73%	$0	0.00%
322 Motor vehicle accident with injuries	16	3.98%	$0	0.00%
324 Motor Vehicle Accident with no injuries	11	2.73%	$0	0.00%
331 Lock-in (if lock out , use 511)	2	0.49%	$0	0.00%
350 Extrication, rescue, Other	1	0.24%	$0	0.00%
354 Trench/below-grade rescue	1	0.24%	$0	0.00%
372 Trapped by power lines	1	0.24%	$0	0.00%
	49	**12.18%**	**$0**	**0.00%**
4 Hazardous Condition (No Fire)				
400 Hazardous condition, Other	8	1.99%	$0	0.00%
411 Gasoline or other flammable liquid spill	1	0.24%	$0	0.00%
412 Gas leak (natural gas or LPG)	5	1.24%	$0	0.00%
413 Oil or other combustible liquid spill	3	0.74%	$0	0.00%
424 Carbon monoxide incident	18	4.47%	$0	0.00%
440 Electrical wiring/equipment problem, Other	9	2.23%	$0	0.00%
444 Power line down	102	25.37%	$0	0.00%
445 Arcing, shorted electrical equipment	17	4.22%	$0	0.00%
460 Accident, potential accident, Other	2	0.49%	$0	0.00%
461 Building or structure weakened or collapsed	1	0.24%	$0	0.00%
463 Vehicle accident, general cleanup	13	3.23%	$0	0.00%
471 Explosive, bomb removal (for bomb scare,	1	0.24%	$0	0.00%

Completed Fire Inspection Assignments Month of August 2020
Fire Marshal Elect Lambert

Fire Alarm Inspections -

Sprinkler Inspections -

Commercial Inspections:
Assembly -
Business -
Day Care -
Dormitories -
Educational - 1
Fire Drills -
Fire Works/Special Effects-
Group Home -
Health Care -
Industrial -
Mercantile - 4
Nursing Home -
Residential Board and Care -
Special Amusement/Assembly -
Tent -
Liquor License Inspections - 1
Hood and Duct Inspections - 1
Gas Station - 2
LPG Point of Sale/Bulk Storage -

Residential Inspections- Buildings 6 @ 40 Units
Residential Completed Inspections -

Fire Investigations - 5

Meetings - 7

Complaints - 3

Certificate of Occupancy –
Certificate of Compliance -
Plan Reviews - 4
Modifications -
Blasting Permit -

Phone Messages - 28

OEDM Training - 4 hrs.
Continuing Education Training - 2 hrs. IFSAC Pro Board Fire Investigation Cert

Completed Fire Inspection Assignments Month of August 2020

Fire Alarm Inspections - 6
Sprinkler Inspections - 4
Hood and Duct Inspections - 2

Commercial Inspections - 30

Assembly - 3
Business - 4
Day Care - 1
Dormitories - 0
Educational - 8
Fire Drills - 0
Fire Works/Special Effects- 0
Group Home - 1
Health Care - 2
Industrial - 1
Mercantile - 4
Nursing Home - 0
Residential Board and Care - 1
Latchkey/Summer Programs - 0
Special Amusement/Assembly - 2
Tent - 0
Liqueur License Inspections - 2
Gas Station - 1
LPG Point of Sale/Bulk Storage - 0

Residential Inspections 0 @ 0
Residential Completed Inspections 0

Fire Investigations - 0

Meetings - 4

Complaints - 1

Plan Reviews - 13
Certificate of Occupancy - 3
Modifications - 0
Blasting Permit - 0

Phone Messages - 37

OEDM Instructional Training - 0.0 hrs.
Continuing Ed. Training - 0.0 hrs.

Public Education – 0.0 hrs.

Fire 4 - Actual Mileage

Completed Fire Inspection Assignments Month of August 2020
Fire Inspector Michael Yacovino

Fire Alarm Inspections - 1

Sprinkler Inspections -

Commercial Inspections -
Assembly -
Business -
Carnival -
Day Care - 1
Dormitories -
Educational -
Fire Drills -
Fire Works/Special Effects-
Group Home - 1
Health Care -
Industrial -
Mercantile - 1
Nursing Home -
Residential Board and Care -
Special Amusement/Assembly -
Tent -
Liqueur License Inspections - 1
Hood and Duct Inspections -
Gas Station - 2
LPG Point of Sale/Bulk Storage -

Residential Inspections- Buildings 15 @ 100 Units
Residential Completed Inspections -

Fire Investigations -

Meetings - 4

Complaints - 2

Plan Reviews - 6
Modifications -
Blasting Permit -

Phone Messages – 44 messages

OEMD Training - 8 hrs.

Fire 6 - Actual Mileage_____ as of _____ Gallons_____

Completed Fire Inspection Assignments Month of August
Fire Inspector Buzzell

Fire Alarm Inspections -

Sprinkler Inspections - 1

Commercial Inspections - 2
Assembly -
Business -
Carnival -
Day Care -
Dormitories -
Educational - 1
Fire Drills -
Fire Works/Special Effects-
Group Home -
Health Care -
Industrial -
Mercantile -
Nursing Home -
Residential Board and Care -
Special Amusement/Assembly -
Tent -
Liqueur License Inspections - 1
Hood and Duct Inspections - 1
Gas Station – 1
LPG Point of Sale/Bulk Storage -

Residential Inspections - 13
Residential Completed Inspections -

Fire Investigations - 3

Meetings -

Complaints - 5

Plan Reviews -
Modifications -
Blasting Permit -

Phone Messages – 50+

OEMD Training – 10
Department Training –
Public Fire Education – 10+

BRISTOL FIRE MARSHAL'S OFFICE
2020 MONTHLY INSPECTIONS/REVIEWS/PERMITS

Description	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEPT	OCT	NOV	DEC	TOTAL
Apartment Buildings	21	16	16	8	17	12	14	15					**119**
Number of units	89	257	55	65	103	59	103	100					**831**
Assembly occupancy	6	8	4	3	7	10	3	7					**48**
Automatic sprinkler	3	4	4	5	3	3	2	5					**29**
Blasting permits	1	1	1	1	0	1	1	0					**6**
Business occupancy	6	14	6	2	6	9	5	10					**58**
Carnival/Amusement/Special Amuse	0	0	0	0	0	1	0	2					**3**
Day care	2	0	1	0	0	1	0	2					**6**
Fire alarm systems	5	6	2	5	6	6	6	11					**47**
Fire works	0	0	0	0	0	5	0	0					**5**
Food truck	0	0	0	0	0	0	0	0					**0**
Gasoline stations	1	0	0	0	0	1	3	5					**10**
Industrial (manuf/factory) occupancy	1	0	0	0	1	0	3	1					**6**
Hood and duct	1	2	1	1	2	2	1	4					**14**
Liquor license inspections	5	3	3	0	1	4	3	5					**24**
L.P.G. Point of Sale / Bulk	0	0	0	0	0	0	0	0					**0**
Mercantile	6	4	3	6	7	12	5	5					**48**
Miscellaneous/Hotel/Motel/Dorm	0	0	0	1	0	0	0	0					**1**
Nursing home/health care/group home	0	3	1	1	0	2	9	3					**19**
Plan reviews	14	26	11	19	25	15	9	30					**149**
Recreation/Summer camp	0	0	0	0	0	2	0	0					**2**
Residential board and care	1	1	1	0	0	0	1	1					**5**
Educational	0	0	0	0	0	2	6	9					**17**
Site plans / meetings	16	9	3	5	8	19	20	5					**85**
Storage	0	1	0	0	0	0	0	0					**1**
Tanks (above/underground)	0	0	0	0	0	0	0	0					**0**
Tent inspection (incl.mobile/food prep	0	0	0	0	4	4	1	0					**9**
Complaints	0	0	0	5	13	15	12	11					**56**
Fire Investigations	3.00	2.00	0.00	0	3	6	8	7					**29**
Total	**92**	**98**	**57**	**57**	**87**	**111**	**112**	**120**	**0**	**0**	**0**	**0**	**734**

Note: The number of units for apartment buildings are not included in the totals.

Fire Chief's Report

August-2020

Summary

The Bristol Fire Department responded to 402 calls for service with a total of 508 responses including Fire Marshal's Office. For Storm Isaias, the Bristol Fire Department had 151 calls for service with 184 responses August 4th through 5th. This is a difference of 212 more calls from this time period last year. No interior surveys were completed in August due to Covid-19 restrictions.

Personnel

Firefighter Joseph Nazzaro was sworn in on August 6th and began his orientation shifts at HQ on C Shift. He did not have to go to the Recruit Class because he had gone in the Spring of 2019 with UCONN FD.

Firefighters Anthony Bentivengo and Jordan Terrier were sworn in at the August 20th Fire Board meeting in an outdoor ceremony in front of City Hall. Due to the Recruit Class being delayed until September 8th, Bentivengo and Terrier worked Monday through Friday, from August 24th to September 4th, with Training Captain Blaschke on a modified orientation and Recruit Class preparation.

Employee Recognition

All members of the Bristol fire Department who worked during Storm Isaias are to be commended for their efforts. The call volume and amount of damage was not expected. Despite the obstacles the storm placed in front of the members, the members rose to the challenges as the true professionals they are.

I would like to commend the efforts of DC Poggio, who was the DC for the 24 hour period during the storm. Despite the large call volume and Dispatch phones going down, DC Poggio was still able to coordinate the resources available to take care of any and all emergency and non-emergency issues. During the storm the Bristol Fire Department responded to 3 structure fires.

I would also like to commend the efforts of the Bristol Dispatchers. Along with the extremely large call volume, the entire phone system went down in Dispatch. Dispatchers were coordinating calls from their personal cell phones and were relocated to Cheshire Dispatch Center.

Fire Stations/Facilities

The Headquarters Renovation Project: Work continues to progress. Weekly meetings are held at 08:00 every Thursday morning with the principal players to provide updates and address any concerns. Clerk of the Works (Retired BFD Lt) Don Nadeau continues to stay on top of the project ensuring the Fire Department's concerns and best interests are properly handled. The second floor HVAC, ceiling, and kitchen portions of the project are progressing. The first floor offices HVAC and ceiling portions of the project are progressing. On Thursday 8/20 the Fire Marshal's Office and Chief's Office were relocated to Station 4's Training Room and Training Office. Some materials are delayed due to Covid-19 issues. The project is scheduled to be completed on 11/31/2020.

Station 2 Roof Project: A meeting was held on Monday August 31st with the roof contractor, David Oakes, Chief Flynn, and Engine 2 personnel to discuss project details.

Station 3 HVAC: is being further evaluated and solutions are being proposed to get the system working properly.

Station 5 HVAC: is being further evaluated and solutions are being proposed to get the system working properly.

Apparatus

Annual Apparatus Pump Testing and Ladder Testing were held the week of August 10th.

Annual Hurst extrication equipment test was held August 20th-21st.

Meetings and Public Functions

Monday August 1st Statewide Isaias Storm call, Tuesday 4th Emergency Manager's Meeting, Wednesday 5th meeting with Fire Marshal's Office, meeting with Chief Haviland Burlington FD, Thursday 6th HQ Project Meeting, Statewide Storm damage call, Firefighter Nazzaro sworn in at City Hall, Station visits to check generators and propane status, Friday 7th Fire Marshal Clerk Oral Interviews, Tuesday 11th meeting with Dawn Leger regarding FEMA grants, Wednesday 12th Storm Isaias Debriefing, Governor's phone conference, City Council meeting, Thursday 13th HQ Project meeting, FEMA grant Zoom meeting, Meeting with Paster Dustin from Liberty Baptist Church, Monday 17th Ocean State Job Lot for PPE Donation, Tuesday 18th Emergency managers meeting, Site Planning meeting, Wednesday 19th Carousel Museum meeting, Thursday 20th HQ Project meeting, Fire Board meeting, Friday 21st FD Staff meeting, Monday 24th Burlington FD water supply drill, Tuesday 25th Board of Finance meeting, Wednesday 26th Tree issues meeting, Governor's phone conference, Thursday 27th HQ Project meeting, Congressman Larson press conference at Station 4, Friday 28th Fire Station tours with Fire Commissioners, Monday 31st Station 2 roof project meeting.

Miscellaneous

I would like to thank the Commissioners who were able to join us for the tours of the firehouses on Friday the 28th. It was eye opening for the Commissioners to see each station for their good and bad points. From the comments it seems that one of the things that made the most impression was when Captain Blaschke turned on the smoke machine in our Burn Building. The Commissioners got a quick sense of what it is like to be in a light smoke condition in a safe environment.

It is our hope to have the Commissioners observe more of the training we do on a regular basis. This will again give the Commissioners a better perspective on what it is we do on a daily basis and what our needs are.

Respectfully submitted:

Chief Mark Flynn