

APPENDIX B 2019 MS4 ANNUAL REPORT

Bristol, CT

IDDE INVESTIGATIONS



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

Inland Wetlands
Environmental Protection Technician
Monthly Report

January 29, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	12/12, 12/20, 01/02, 01/11, 01/18, 01/24	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	12/12, 12/20, 01/04, 01/10, 01/18, 01/24	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	12/14, 01/03, 01/10, 01/17, 01/24	Inact
#1762	234 Riverside Avenue	Parking lot expansion (Exp. 20190519)	12/14, 12/20, 01/04, 01/11, 01/18, 01/24	Inact
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	12/14, 12/20, 01/04, 01/10, 01/18, 01/24	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	12/14, 12/20, 01/03, 01/10, 01/18, 01/25	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	12/13, 01/03, 01/10, 01/17, 01/24	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	12/14, 12/20, 01/03, 01/10, 01/18, 01/24	Act
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	12/14, 12/20, 01/04, 01/11, 01/18, 01/24	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	12/13, 01/03, 01/10, 01/17, 01/24	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	12/14, 12/20, 01/03, 01/10, 01/18, 01/24	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	12/14, 12/20, 01/03, 01/10, 01/17, 01/24	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	12/12, 12/20, 01/04, 01/10, 01/18, 01/24	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	12/14, 01/03, 01/10, 01/17, 01/24	Inact

No.	Location	Description	Inspection Dates	Status
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	12/12, 12/20, 01/04, 01/10, 01/18, 01/25	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	12/14, 01/03, 01/10, 01/17, 01/24	Inact
#1836	Swanson Drive	Construction of single family house (Exp. 20230220)	12/13, 12/20, 01/03, 01/10, 01/17, 01/24	Complete
#1837	780 James P Casey Road	Install 14 column supports (Exp. 20230220)	12/14, 12/20, 01/03, 01/10, 01/17, 01/24	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	12/14, 01/03, 01/10, 01/17, 01/24	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	12/14, 01/03, 01/10, 01/17, 01/24	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	12/13, 12/20, 01/03, 01/10, 01/17, 01/24	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	12/13, 12/20, 01/03, 01/10, 01/18, 01/24	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	12/14, 01/03, 01/10, 01/17, 01/24	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	12/13, 12/20, 01/03, 01/10, 01/17, 01/24	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	12/14, 01/05, 01/10, 01/18, 01/25	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	12/14, 12/20, 01/03, 01/10, 01/17, 01/24	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	12/14, 12/20, 01/04, 01/10, 01/18, 01/25	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	12/13, 01/03, 01/10, 01/17, 01/24	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	12/14, 01/03, 01/10, 01/18, 01/24	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	12/14, 01/03, 01/10, 01/17, 01/24	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	12/14, 12/20, 01/04, 01/11, 01/18, 01/24	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	12/14, 12/20, 01/03, 01/11, 01/18, 01/24	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	12/14, 01/04, 01/11, 01/18, 01/24	Inact
#1857	71 Ipswitch Road	Construct house addition (Exp. 20231015)	12/14, 12/20, 01/04, 01/10, 01/18, 01/24	Act
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	12/14, 01/04, 01/11, 01/18, 01/25	Act
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	01/10, 01/18, 01/24	Act

SPECIAL INSPECTION:

62 Willcox Street - 20181207 - A concern of roadway icing from referenced address. In ground pool failing and leaching water onto the driveway which is depositing into the roadway causing severe icing. See attached NOV. **Closed**

97 Geary Avenue - 20181210 - A concern of icing on the roadway. See NOV. P/O contacted EPT, P/O will hire will contractor to install pipe into storm drainage in front of house. **Closed**

141-145 Skyridge Road - 20181211 - A concern of icing on the roadway. See NOV. 20181218 - P/O of 145 Skyridge Road contacted EPT stating the P/O of 141-143 conducted all work to relieve water issue in his 2 units, her was not involved. **Pending**

130 Greystone Road - 20181211 - EPT observed icing on the roadway. See NOV. **Pending**

25 Eugene Avenue - 20181211 - EPT observed icing on the roadway. See NOV. 20181217 - P/O contacted EPT, icing was removed and water diverted away road. New sump pump to be installed week of 20181224, P/O to call EPT to re-inspect. **Pending**

233 Riverside Avenue - 20181211 - A concern of icing on the roadway. See NOV. **Pending**

20 Illinois Avenue - 20181213 - A Concern of icing on the roadway. 2" PVC draining to the gutter causing icing and injurious situation. See NOV. **Pending**

125 Frederick Street - 20181218 - To observe new silt fence and repair to existing berm, repairs were conducted according to discussed plan. **Pending**

135 East Main Street - 20181218 - A concern of construction being completed with out proper permits. Drainage repairs and walkway to 159 East Main Street was install all within the regulated wetlands area.

1200 Farmington Avenue - 20190107 - Due to a concern a site inspection was conducted, debris along the brook was discovered. **Pending**

Memorial Boulevard - 20190108 - A concern of a tree within the river. **Pending**

Lot 1 Curtiss Street - 20190109 - Due to a concern of tracking from site onto North Main Street a site inspection was conducted. Existing tracking pad was failing, EPT instructed new pad be installed per approved building plans. **Closed**

234 Beths Avenue - 20190110 - Erosion control methods were failing, EPT instructed P/O to repair silt fence surrounding the property and clean roadway of all sedimentation deposits. **Closed.**

27 John Avenue - 20181022 - A concern of a falling tree along the river. A tree what appears to be on the property has leaned toward a tree on the adjacent bank of the river and has become hung up. 20190129 - Cost sharing program established, letter to H/O to follow. **Pending**

67 John Avenue - 20180102 - A re-inspection following the P/O's email to the EPT on 20171023 stating he has hurt himself in the river, no action has been taken in cleaning fallen tree or brush. 20180403 - A re-inspection was conducted, no action has been taken by H/O to remove tree. 20180907 - Engineering is in review to remove tree from the river. 20181024 - EPT spoke with P/O across from tree to allow city to remove tree from that side of the river, she verbally agreed, written agreement to follow. 20190129 - Cost sharing program established, letter to H/O to follow. **Pending**

C.O. INSPECTIONS:

Allentown Road - Saddlebrook - Unit 40

93 Swanson Drive

465-467 Emmett Street

625 Wolcott Road

NOTICE AND NOTICE OF VIOLATION LETTERS:

- 97 Geary Avenue - Icing on the roadway - Connecting to storm system - **Pending**
- 141-143 Skyridge Road - Icing on the roadway - **Pending**
- 145 Skyridge Road - Icing on the roadway - **Pending**
- 130 Greystone Road - Icing on the roadway - **Pending**
- 25 Eugene Avenue - Icing on the roadway - Repaired - **Closed**
- 233 Riverside Avenue - Icing on the roadway - Repaired - **Closed**
- 20 Illinois Avenue - Icing on the roadway - Repaired - **Closed**
- 186 Frederick Street - Icing on the roadway - Repaired - **Closed**
- 5 Ridge Road - Icing on the roadway - Repaired - **Closed**
- 123 French Street - Icing on the roadway - Repaired - **Closed**
- 1200 Farmington Avenue - NOV - Debris along bank of brook - **Pending**
- 206 East Road - Icing on the roadway - **Pending**
- 254 East Road - Icing on the roadway - **Pending**
- 49 South Street Ext - Icing on the roadway - **Pending**
- 59 South Street Ext - Icing on the roadway - **Pending**
- 65 South Street Ext - Icing on the roadway - **Pending**
- 71 South Street Ext - Icing on the roadway - **Pending**
- 79 South Street Ext - Icing on the roadway - **Pending**
- 22 Tuttle Street - Icing on the roadway - **Pending**
- 296 Louisiana Avenue - Icing on the roadway - **Pending**
- 9 Geary Avenue - Discharging into neighboring property - **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 12, 2018

Mark L. Laponte
97 Geary Avenue
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 97 Geary Avenue, CT 06010

After responding to a complaint and conducting a field investigation on December 10, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 26, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 12, 2018

Donna Delsanto
145 Sky Ridge Road
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 141 – 145 Skyridge Road, CT 06010

After responding to a complaint and conducting a field investigation on December 11, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 26, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Assistant City Engineer
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 12, 2018

141-143 Skyridge LLC
143 Sky Ridge Road
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 141 – 145 Skyridge Road, CT 06010

After responding to a complaint and conducting a field investigation on December 11, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 26, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Assistant City Engineer
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 12, 2018

Peter and Donna Page, Amy Britton
25 Eugene Avenue
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 25 Eugene Avenue, CT 06010

After responding to a complaint and conducting a field investigation on December 11, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the city right of way and causing icing. This is hazardous for pedestrians and vehicles travelling in the right of way and violates Bristol Code of Ordinances, "*Sec. 21-6 - Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*" "*Sec. 21-26 – Obstructing sidewalk, placing glass, nails, waste products or storm water thereon and obstructing view at intersections forbidden. It shall be unlawful for any person: (2) To open, maintain or use any drain or conductor pipe in such a manner that the same shall discharge water upon any sidewalk. (3) To permit water or waste of any kind to pass or be intentionally discharged upon any sidewalk.*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 26, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Assistant City Engineer
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 12, 2018

Shawn and Katarzyna Varela
130 Greystone Avenue
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 130 Greystone Avenue, CT 06010

After responding to a complaint and conducting a field investigation on December 11, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 26, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Assistant City Engineer
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 12, 2018

Alfred and Philip Frechette
233 Riverside Avenue
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 233 Riverside Avenue, CT 06010

After responding to a complaint and conducting a field investigation on December 11, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways...*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 26, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Assistant City Engineer
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 14, 2018

Michael & Brenda Davis
20 Illinois Avenue
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 20 Illinois Avenue, CT 06010

After responding to a complaint and conducting a field investigation on December 13, 2018 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 28, 2018. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "JSG", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Assistant City Engineer
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Kayla Maciejewski
186 Frederick Street
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 186 Frederick Street, CT 06010

After responding to a complaint and conducting a field investigation on January 4, 2019 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before January 22, 2019. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Charles O & Gretchen Pond
5 Ridge Road
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 5 Ridge Road Bristol, CT 06010

After responding to a complaint and conducting a field investigation on January 7, 2019 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before January 22, 2019. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Richard & Donna Douglas
123 French Street
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 123 French Street Bristol, CT 06010

After responding to a complaint and conducting a field investigation on January 7, 2019 concerning runoff from your property, it appears that water from a drain pipe is entering the roadway and causing icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before January 22, 2019. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if deicing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in blue ink, appearing to read "J Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Route 6 Developers LLC
1224 Mill Street, Bldg D, Ste 103
East Belin, CT 06023-1159

Re: Notice of Violation – Debris along the edge of the tributary – 1200 Farmington Avenue

An inspection of the above mentioned property was conducted on January 7, 2019. Our records indicate that you own both sides of the brook. It appears that there is debris along the bank/within the river.

You are required to take the following actions and repairs.

- Immediately remove all trash/debris along the sides of the river, as well as any that has fallen into the river,
- Keep all dumpsters closed and all trash contained within a dumpster.

Please consider a system where the brook is being monitored regularly, to ensure that the regulated area remains clear of debris.

Please contact the Engineering Department and conduct restoration by January 22, 2019. Be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Environmental Engineer
Inland Wetlands Commission



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

John Pavel Valenta
206 East Road
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – East Road
206 East Road**

Dear Mr. Valenta

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto East Road from a stone patch located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J Gagnon", with a horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Crystal Pennington
254 East Road
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – East Road
254 East Road**

Dear Ms. Pennington

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto East Road from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "JGagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Joann Laflamme
49 South Street Ext
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – South Street Ext
49 South Street Ext**

Dear Ms. Laflamme

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto South Street Ext from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

John P Dilorenzo Jr
59 South Street Ext
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – South Street Ext
59 South Street Ext**

Dear Mr. Dilorenzo

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto South Street Ext from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Michael J Parenti
65 South Street Ext
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – South Street Ext
65 South Street Ext**

Dear Mr. Parenti

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto South Street Ext from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Michael A Allan
71 South Street Ext
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – South Street Ext
71 South Street Ext**

Dear Mr. Allan

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto South Street Ext from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal flourish extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Russell Thompson
79 South Street Ext
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – South Street Ext
79 South Street Ext**

Dear Mr. Thompson

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto South Street Ext from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Arthur & Gene Marie Marino
22 Tuttle Street
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – Tuttle Street
22 Tuttle Street**

Dear Mr. & Mrs. Marino

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto Tuttle Street from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 8, 2019

Daniel & Shiela Parker
296 Louisiana Avenue
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – Louisiana Avenue
296 Louisiana Avenue**

Dear Mr. & Mrs. Parker

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto Louisiana Avenue from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "JSG", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 25, 2019

Neil Cunningham & Dean Martin
9 Geary Avenue
Bristol CT, 06010

**Re: Notice – Point Discharge to Neighboring Property – 9 Geary Avenue Bristol, CT
06010**

Due to a concern from a neighboring property, an inspection of the above mentioned property was conducted. Several point discharges were discovered on January 14, 2019, flowing into the adjacent residential yard causing minor erosion and flooding due to roof drains and sump pump drainage. Please reroute drainage to avoid discharge flowing into neighboring property and causing damage,

Please contact the Engineering Department with a remedial plan of action and conduct restoration, by February 8, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "JGagnon", with a long horizontal flourish extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Environmental Engineer
Inland Wetlands Commission



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

February 25, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	2/1, 2/7, 2/14, 2/22	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	2/4, 2/7, 2/14, 2/22	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	2/1, 2/7, 2/14, 2/21	Inact
#1762	234 Riverside Avenue	Parking lot expansion (Exp. 20190519)	2/4, 2/7, 2/14, 2/25	Inact
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	2/1, 2/7, 2/15, 2/22	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	2/1, 2/7, 2/15, 2/22	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	2/1, 2/7, 2/14, 2/21	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	2/1, 2/7, 2/14, 2/21	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	2/1, 2/7, 2/14, 2/22	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	2/1, 2/7, 2/14, 2/21	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	2/4, 2/7, 2/15, 2/25	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	2/4, 2/7, 2/14, 2/21	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	2/4, 2/7, 2/14, 2/22	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	2/1, 2/7, 2/14, 2/21	Inact

No.	Location	Description	Inspection Dates	Status
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	2/1, 2/7, 2/14, 2/21	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	2/1, 2/7, 2/14, 2/21	Inact
#1837	780 James P Casey Road	Install 14 column supports (Exp. 20230220)	2/1, 2/7, 2/14, 2/21	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	2/1, 2/7, 2/14, 2/21	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	2/1, 2/7, 2/14, 2/21	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	2/1, 2/7, 2/14, 2/21	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	2/4, 2/7, 2/14, 2/21	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	2/1, 2/7, 2/14, 2/21	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	2/1, 2/7, 2/14, 2/21	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	2/4, 2/7, 2/14, 2/25	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	2/4, 2/7, 2/14, 2/21	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	2/1, 2/7, 2/14, 2/21	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	2/1, 2/7, 2/14, 2/25	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	2/4, 2/7, 2/14, 2/21	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	2/1, 2/7, 2/14, 2/21	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	2/1, 2/7, 2/14, 2/22	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	2/1, 2/7, 2/14, 2/21	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	2/1, 2/7, 2/15, 2/22	Inact
#1857	71 Ipswitch Road	Construct house addition (Exp. 20231015)	2/1, 2/7, 2/14, 2/22	Act
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	2/4, 2/7, 2/15, 2/22	Act
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	2/4, 2/7, 2/14, 2/22	Act

SPECIAL INSPECTION:

141-145 Skyridge Road - 20181211 - A concern of icing on the roadway. See NOV. 20181218 - P/O of 145 Skyridge Road contacted EPT stating the P/O of 141-143 conducted all work to relieve water issue in his 2 units, her was not involved. 20190207 - Haybails were installed to create a barrier inhibitating the flow of water to the roadway. **Pending**

130 Greystone Road - 20181211 - EPT observed icing on the roadway. See NOV. **Pending**

1200 Farmington Avenue - 20190107 - Due to a concern a site inspection was conducted, debris along the brook was discovered. 20190206 - A reinspection of the property was conducted, debris along the edge of the brook remains. **Pending**

Memorial Boulevard - 20190108 - A concern of a tree within the river. 20190204 - Donna Klein (Sachem Capital), contacted EPT in regards to the fallen tree, will remove ASAP. 20190225 - A re-inspection was conducted, tree was removed, a loose stump remained. EPT emailed P/O (Jeffrey Griffin), stump to be removed immediately. **Pending**

247 Park Street - 20190211 - A site visit was initiated due to a permit request. Work from prior permit #1811 was not completed per permit specifications. See NOV. **Pending**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. See NOV. **Pending**

141 Sherbrooke Street - 20190213 - Inspected due to a concern of excessive water from neighboring property. The rear yard had several inches of ice build up along the eastern rear yard as well as defined scouring on the western side. The property line is approx 500' from the Eversource powerlines, there is no source of excessive water that was noticable. Inspections to continue as snow melts to find potential source. **Pending**

Ivy Drive - 20190213 - Due to a concern from CT DEEP of blocking of the storm conveyance system and site inspect was conducted. It appears that building materials have been used to block the catch basin grate, these materials are beginning to breakdown and fall into the system. See NOV. **Pending**

37 Norton Street - 20190215 - Due to a concern of sedimentation depositing into the City of Bristol right of way a site investigation was conducted. The side yard grass is being used as a parking area where rain and snow melt are causing erosion due to lack of vegetation. See Notice. **Pending**

15 Alice Terrace - 20190224 - A complaint of potential illicit discharge through the online reporting system and a site investigation was implemented. It appears that a plow truck had a failure to the plow hydraulic system during a snow event in which a spill had occurred. The amount of oil that remained on the roadway was not enough to absorb. Enviro Eng informed City of Bristol Superintendent of PW to police vehicles servcability to ensure spills are avoided in the future. **Closed**

27 John Avenue - 20181022 - A concern of a falling tree along the river. A tree what appears to be on the property has leaned toward a tree on the adjacent bank of the river and has become hung up. 20190130 - Cost sharing program established, letter sent to P/O. 20190226 - No contact from property owner about tree removal. **Pending**

67 John Avenue - 20180102 - A re-inspection following the P/O's email to the EPT on 20171023 stating he has hurt himself in the river, no action has been taken in cleaning fallen tree or brush. 20180403 - A re-inspection was conducted, no action has been taken by H/O to remove tree. 20180907 - Engineering is in review to remove tree from the river. 20181024 - EPT spoke with P/O across from tree to allow city to remove tree from that side of the river, she verbally agreed, written agreement to follow. 20190129 - Cost sharing program established, letter sent to P/O. 20190226 - No contact from property owner about tree removal. **Pending**

C.O. INSPECTIONS:

Allentown Road - Woodshire Unit 25
465 Emmett Street
12 Old Cider Mill Road

NOTICE AND NOTICE OF VIOLATION LETTERS:

141-143 Skyridge Road - Icing on the roadway - **Pending**
145 Skyridge Road - Icing on the roadway - **Pending**
130 Greystone Road - Icing on the roadway - **Pending**
1200 Farmington Avenue - NOV - Debris along bank of brook - **Pending**
206 East Road - Icing on the roadway - **Closed** - City needs to extend storm drainage
254 East Road - Icing on the roadway - **Closed** - City needs to extend storm drainage
49 South Street Ext - Icing on the roadway - **Closed** - City needs to extend storm drainage
59 South Street Ext - Icing on the roadway - **Closed** - City needs to extend storm drainage
65 South Street Ext - Icing on the roadway - **Closed** - City needs to extend storm drainage
71 South Street Ext - Icing on the roadway - **Closed** - City needs to extend storm drainage
79 South Street Ext - Icing on the roadway - **Closed** - City needs to extend storm drainage
22 Tuttle Street - Icing on the roadway - **Closed** - City needs to extend storm drainage
296 Louisiana Avenue - Icing on the roadway - **Closed** - City needs to extend storm drainage
9 Geary Avenue - Discharging into neighboring property - **Closed**
27 John Avenue - Fallen tree near watercourse, Cost Sharing Letter - **Pending**
67 John Avenue - Fallen tree near watercourse, Cost Sharing Letter - **Pending**
121 Candlewood Drive - Discharging into neighboring property - **Closed**
1118 Stafford Avenue - Icing on the roadway - **Pending**
848 Stafford Avenue - Icing on the roadway - **Closed** - City needs to extend storm drainage
234 Riverside Avenue - Tree within the Paquabuck River - **Pending**
162 Brook Street - Icing on the roadway - **Pending**
116 Stonecrest Drive - Icing on the roadway - **Pending**
360 Minor Street - #1759 Permit incomplete - **Pending**
389 Ivy Drive - Drainage concerns - **Pending**
396 Ivy Drive - Drainage concerns - **Pending**
399 Ivy Drive - Drainage concerns - **Pending**
404 Ivy Drive - Drainage concerns - **Pending**
37 Norton Street - Drainage concern - **Pending**
247 Park Street - #1811 Permit incomplete - **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 30, 2019

Jesse A Morton Sr.
32 Academy Street
Bristol, Connecticut 06010

Re: Falling tree across the river- 27 John Avenue

During a recent inspection of the Coppermine Brook, a large tree from what appears to be property that you own has uprooted and rested upon a tree across the river causing a potential hazard. Due to the serious nature, this tree should be removed to eliminate any possible damage to surrounding properties and possible flow restrictions within the floodways. To aid with the removal, the City of Bristol has recently adopted a Cost Sharing Program. This program allows the city to share up to 50% of the cost for the removal of trees and wooden debris along watercourses and floodways. If you would like more information about the program, please contact Bristol Public Works at 860-584-6125.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 30, 2019

Kellie Kenny
67 John Avenue
Bristol, Connecticut 06010

Re: Falling tree across the river- 67 John Avenue

During a recent inspection of the Coppermine Brook, a large tree from what appears to be property that you own has fallen on the bank of the river causing a potential hazard. Due to the serious nature, this tree should be removed to eliminate any possible damage to surrounding properties and possible flow restrictions within the floodways. To aid with the removal, the City of Bristol has recently adopted a Cost Sharing Program. This program allows the city to share up to 50% of the cost for the removal of trees and wooden debris along watercourses and floodways. If you would like more information about the program, please contact Bristol Public Works at 860-584-6125.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 30, 2019

Janice Peterson
121 Candlewood Drive
Bristol CT, 06010

Re: Notice – Point Discharge to Neighboring Property – 121 Candlewood Drive Bristol, CT 06010

Due to a concern from a neighboring property, an inspection of the above mentioned property was conducted. A point discharge was discovered flowing into the adjacent residential yard causing minor erosion and flooding due to drainage. Please reroute drainage to avoid discharge flowing into neighboring property and causing damage,

Please contact the Engineering Department with a remedial plan of action and conduct restoration, by February 13, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Environmental Engineer
Inland Wetlands Commission



January 30, 2019

Emanuele G. Cassarino
1118 Stafford Avenue
Bristol, CT 06010

Re: Water Discharge to City Street – Stafford Avenue
1118 Stafford Avenue

Dear Mr. Emanuele G. Cassarino

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection it appears water is seeping out of your front yard onto Stafford Avenue. There is a City catch basin directly in front of the referenced area.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance. It appears that a potential solution consists of installing a subsurface underdrain across your front yard connected to a City catch basin.

Please contact me at 860-584-6116.

Sincerely,

A handwritten signature in black ink, appearing to read 'JGagnon', written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

City of Bristol Public Works
Email: www.bristolct.gov/publicworks
860-584-6125 or 860-584-7791

"The City of Bristol is an Equal Opportunity Provider"



January 31, 2019

Michael & Roxanne Pierce
848 Stafford Avenue
Bristol, CT 06010

Re: Water Discharge to City Street – Stafford Avenue
848 Stafford Avenue

Dear Mr. & Mrs. Pierce

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto Stafford Avenue from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at 860-584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read 'JGagnon', written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

City of Bristol Public Works
Email: www.bristolct.gov/publicworks
860-584-6125 or 860-584-7791

"The City of Bristol is an Equal Opportunity Provider"



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

January 31, 2019

Sachem Capital Corp
23 Laurel Street
Branford, CT 06405

Re: Notice – Tree debris in the Pequabuck River – 234 Riverside Avenue Bristol, CT 06010

Based on an inspection of the Pequabuck River, it appears a trees is down within the river. Our records indicate that you own the above mentioned property, including to the southern bank of the river.

You are required to take the following actions and repairs.

- Immediately remove fallen trees within the river,
- Immediately remove any remaining debris within the river/regulated area to prevent blockages,
- Dispose all debris outside the regulated area.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before February 14, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "JSG", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



January 31, 2019

Ramona Rancourt
162 Brook Street
Bristol, CT 06010

Re: Water Discharge to City Street – Brook Street
162 Brook Street

Dear Ms. Rancourt

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto Brook Street from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at 860-584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read 'JGagnon', with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

City of Bristol Public Works
Email: www.bristolct.gov/publicworks
860-584-6125 or 860-584-7791

"The City of Bristol is an Equal Opportunity Provider"



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 8, 2019

Thomas Borgio
116 Stonecrest Street
Bristol, Connecticut 06010

**Re: Water Discharge to City Street – Stonecrest Street
116 Stonecrest Street**

Dear Mr. Borgio

The City has received a complaint regarding a water discharge from your property to the City roadway. Based on an on-site inspection, it appears water is discharging onto Stonecrest Street from a pipe located on your property.

The discharge of water to a City street poses a serious safety concern due to icing and is prohibited by City Ordinance.

Please contact me at (860) 584-6116 to address this issue.

Sincerely,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 11, 2019

Braverman Bristol LLC
Attn: Robert Braverman
360 Minor Street
Bristol CT, 06010

Re: Notice of Violation – Wetlands Application #1759– Construction of additional parking - 360 Minor Street Bristol, CT 06010

At a site inspection conducted on February 4, 2019, it was observed that the project was not constructed per the approved plans. Specifically, the detention basin and stormwater control structure were not constructed. Also, the constructed pavement limits differ from the approved plan.

Please contact the Engineering Department with a remedial plan of action and submit a construction schedule prior to February 25, 2019 for completion of the entire project. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

Any proposed modifications from the approved plan shall be addressed with a permit modification request, including supporting documentation, for Inland Wetland Commission review. The submittal deadline is February 25 for the next regularly scheduled Inland Wetland Commission meeting on March 6, 2019.

To arrange a time to meet and review progress on the permit modification and restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer – Carol Noble P.E.
CZEO - Monica Halloway
City Planner - Robert Flanagan
Allan Borghesi – Borghesi Building and Engineering Co.
Enclosure: Application, Commission schedule, Approved Plan



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 14, 2019

Daniel and Amanda Marcotte
389 Ivy Drive
Bristol, CT 06010

Re: Notice - Response to Drainage Concerns – 389 Ivy Drive Bristol, CT 06010

Due to a concern of storm drain blockage with building materials, a site inspection was conducted. The blocking of storm drainage can have an adverse effect to surrounding properties causing flooding and damage. Building materials can contaminate the runoff entering the system causing an illicit discharge or restrict flow due to building material debris being deposited into the storm drainage system leaving the conveyance system operating improperly. Please observe the southern portion of the cul de sac adjacent to your property and contact the City of Bristol Engineering Department if this action continues.

Thank you for your cooperation, if there any questions or concerns, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Director of Public Works
Environmental Engineer
Inland Wetlands Commission
Ivy Drive Property Owners



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 14, 2019

Crystal Coe
282 Main Street
Terryville, CT 06786

Re: Notice - Response to Drainage Concerns – 396 Ivy Drive Bristol, CT 06010

Due to a concern of storm drain blockage with building materials, a site inspection was conducted. The blocking of storm drainage can have an adverse effect to surrounding properties causing flooding and damage. Building materials can contaminate the runoff entering the system causing an illicit discharge or restrict flow due to building material debris being deposited into the storm drainage system leaving the conveyance system operating improperly. Please observe the southern portion of the cul de sac adjacent to your property and contact the City of Bristol Engineering Department if this action continues.

Thank you for your cooperation, if there any questions or concerns, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Director of Public Works
Environmental Engineer
Inland Wetlands Commission
Ivy Drive Property Owners



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 14, 2019

Shawn Saatci
PO Box 2807
New Britain, CT 06050-2807

Re: Notice - Response to Drainage Concerns – 399 Ivy Drive Bristol, CT 06010

Due to a concern of storm drain blockage with building materials, a site inspection was conducted. The blocking of storm drainage can have an adverse effect to surrounding properties causing flooding and damage. Building materials can contaminate the runoff entering the system causing an illicit discharge or restrict flow due to building material debris being deposited into the storm drainage system leaving the conveyance system operating improperly. Please observe the southern portion of the cul de sac adjacent to your property and contact the City of Bristol Engineering Department if this action continues.

Thank you for your cooperation, if there any questions or concerns, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Director of Public Works
Environmental Engineer
Inland Wetlands Commission
Ivy Drive Property Owners



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 14, 2019

John Deluca
404 Ivy Drive
Bristol, CT 06010

Re: Notice - Response to Drainage Concerns – 404 Ivy Drive Bristol, CT 06010

Due to a concern of storm drain blockage with building materials, a site inspection was conducted. The blocking of storm drainage can have an adverse effect to surrounding properties causing flooding and damage. Building materials can contaminate the runoff entering the system causing an illicit discharge or restrict flow due to building material debris being deposited into the storm drainage system leaving the conveyance system operating improperly. Please observe the southern portion of the cul de sac adjacent to your property and contact the City of Bristol Engineering Department if this action continues.

Thank you for your cooperation, if there any questions or concerns, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal flourish extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Director of Public Works
Environmental Engineer
Inland Wetlands Commission
Ivy Drive Property Owners



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 15, 2019

Javier Yrayta & Norma Gonzalez
PO Box 331641
West Hartford, CT 06133-1641

Re: Notice - Response to Drainage Concerns – 37 Norton Street Bristol, CT 06010

During a recent inspection of Norton Street, erosion and sedimentation was observed along the sidewalk and roadway which appears to be originating from a property which our records indicate that you own. The area along the west side of the home is being used as a parking area. Due to the lack of vegetation, rain/snow melt runoff is eroding that area while depositing sedimentation on the sidewalk and roadway. This act is adversely impacting neighboring properties and the storm conveyance system adjacent to your property.

Please refrain from parking on the west side of the house, reestablish the lawn area to avoid future erosion, and remove all sedimentation along the sidewalk/roadway. Please have this completed before March 1, 2019 and contact City of Bristol Engineering Department upon completion.

Thank you for your cooperation, if there any questions or concerns, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Director of Public Works
Environmental Engineer
Inland Wetlands Commission



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 21, 2019

Cambodian Buddhist Society of Connecticut
247 Park Street
Bristol, CT 06010

Re: Notice of Violation — 247 Park Street Bristol, CT 06010 – Inland Wetland Permit 1811

A follow-up field inspection, conducted at the site on February 11, 2019, indicated the site remedial activities (application #1811, approved October 31, 2016, in response to the Notice of Violation) have not been satisfactorily completed. Specifically, the site has not been adequately stabilized and the eroded channel protections have not been completed per approved plan. Additionally, the temporary erosion and sedimentation control measures (silt fence) are damaged in several locations. Photos are attached.

Your contractor representative has submitted plans for a building structure addition of approximate dimension 9' x 16', along with an entry ramp structure at the rear entrance of the building within regulated area (less than 100' from a watercourse). Please use the attached Inland Wetland application for the proposed building addition work. The application must include the schedule for completion of the rear lot stabilization work.

By February 25, please submit the application, fee and supporting materials for review at the next regularly scheduled Inland Wetland Commission meeting on March 6.

The failure to comply with the above request may subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. Please contact me at (860) 584-6116 to address any questions.

Sincerely yours,

A handwritten signature in black ink, appearing to read "JGagnon", with a long horizontal line extending to the right.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer
Monica Holloway, Code Enforcement Officer
Robert Martel, Contractor



Above: Incomplete channel stabilization



Above: Debris in regulated area



Above: Soils exposed to erosion; incomplete grading and stabilization and damage silt fence



Above: Eroded soils from incomplete grading and stabilization



Above: Eroded soils and damaged silt fence



Above: Damaged silt fence



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

Inland Wetlands
Environmental Protection Technician
Monthly Report

March 27, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	3/1, 3/7, 3/15, 3/22	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	3/1, 3/7, 3/15, 3/22	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	2/28, 3/7, 3/14, 3/22	Inact
#1762	234 Riverside Avenue	Parking lot expansion (Exp. 20190519)	2/28, 3/7, 3/14, 3/21	Inact
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	3/1, 3/7, 3/14, 3/21	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	3/1, 3/7, 3/14, 3/21	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	2/28, 3/7, 3/14, 3/21	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	2/28, 3/7, 3/14, 3/21	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	3/1, 3/7, 3/15, 3/22	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	2/28, 3/7, 3/14, 3/21	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	2/28, 3/7, 3/14, 3/22	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	2/28, 3/7, 3/14, 3/22	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	2/28, 3/7, 3/15, 3/22	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	2/28, 3/7, 3/14, 3/22	Inact

No.	Location	Description	Inspection Dates	Status
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	2/28, 3/7, 3/14, 3/21	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	2/28, 3/7, 3/14, 3/21	Inact
#1837	780 James P Casey Road	Install 14 column supports (Exp. 20230220)	2/28, 3/7, 3/14, 3/22	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	2/28, 3/7, 3/14, 3/22	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	2/28, 3/7, 3/14, 3/22	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	2/28, 3/7, 3/14, 3/21	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	3/1, 3/7, 3/14, 3/21	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	2/28, 3/7, 3/14, 3/22	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	2/28, 3/7, 3/14, 3/21	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	2/28, 3/7, 3/15, 3/22	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	2/28, 3/7, 3/14, 3/22	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	2/28, 3/7, 3/14, 3/21	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	2/28, 3/7, 3/14, 3/21	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	2/28, 3/7, 3/14, 3/21	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	2/28, 3/7, 3/14, 3/21	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	3/1, 3/7, 3/15, 3/22	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	2/28, 3/7, 3/14, 3/21	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	3/1, 3/7, 3/15, 3/22	Inact
#1857	71 Ipswitch Road	Construct house addition (Exp. 20231015)	3/1, 3/7, 3/15, 3/22	Act
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	2/28, 3/7, 3/15, 3/21	Act
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	3/1, 3/7, 3/14, 3/21	Act

SPECIAL INSPECTION:

201 Fox Hollow Lane - 20190227 - Erosion and sediment was discovered coming from a disturb area adjacent to the storm trust pond. 20190307 - EPT spoke with P/O, pool contractor to install erosion control measures and a wetlands application will be applied for. 20190326 - Silt fence has been installed in areas that are eroding, P/O has hired a Land Surveyor to create a building plan to be submitted to the Wetlands Commission fro a permit. See NOV. **Pending**

Lot 21 Waterbury Road - 201903112 - During a inspection it was discovered that numerous loads of materials have been deposited into a regulated area. 20190326 - Materials remain onsite with out a contact from the P/O.

141-145 Skyridge Road - 20181211 - A concern of icing on the roadway. See NOV. 20181218 - P/O of 145 Skyridge Road contacted EPT stating the P/O of 141-143 conducted all work to relieve water issue in his 2 units, her was not involved. 20190207 - Hay bales were installed to create a barrier inhibiting the flow of water to the roadway. **Pending**

1200 Farmington Avenue - 20190107 - Due to a concern a site inspection was conducted, debris along the brook was discovered. 20190206 - A re-inspection of the property was conducted, debris along the edge of the brook remains. 20190301 - Debris has been removed from the bank of the brook. **Closed**

Memorial Boulevard - 20190108 - A concern of a tree within the river. 20190204 - Donna Klein (Sachem Capital), contacted EPT in regards to the fallen tree, will remove ASAP. 20190225 - A re-inspection was conducted, tree was removed, a loose stump remained. EPT emailed P/O (Jeffrey Griffin), stump to be removed immediately. 20190321 - The loose stump remains along the edge of the river. **Pending**

247 Park Street - 20190211 - A site visit was initiated due to a permit request. Work from prior permit #1811 was not completed per permit specifications. See NOV. **Pending**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. 20190322 - Work has not begun to complete the project. See NOV. **Pending**

141 Sherbrooke Street - 20190213 - Inspected due to a concern of excessive water from neighboring property. The rear yard had several inches of ice build up along the eastern rear yard as well as defined scouring on the western side. The property line is approx. 500' from the Eversource powerlines, there is no source of excessive water that was noticeable. Inspections to continue as snow melts to find potential source. 20190326 - EPT re-inspected the site behind the houses in question. There were no signs of runoff or scouring beyond tree line that would indicate the adjacent property owner is discharging towards properties 131 - 147 Sherbrooke Street. **Closed**

Ivy Drive - 20190213 - Due to a concern from CT DEEP of blocking of the storm conveyance system and site inspect was conducted. It appears that building materials have been used to block the catch basin grate, these materials are beginning to breakdown and fall into the system. 20190326 - Building material remained along the backside of the catch basin, EPT removed from basin to allow flow to enter the system with out restriction. **Closed**

37 Norton Street - 20190215 - Due to a concern of sedimentation depositing into the City of Bristol right of way, a site investigation was conducted. The side yard grass is being used as a parking area where rain and snow melt are causing erosion due to lack of vegetation. 20190319 - Pass way area along the eastern portion of property under review for ownership. **Pending**

27 John Avenue - 20181022 - A concern of a falling tree along the river. A tree what appears to be on the property has leaned toward a tree on the adjacent bank of the river and has become hung up. 20190130 - Cost sharing program established, letter sent to P/O. 20190226 - No contact from property owner about tree removal. 20190326 - No contact from P/O, tree not enter the flow path of the river, not further action. **Closed**
67 John Avenue - 20180102 - A re-inspection following the P/O's email to the EPT on 20171023 stating he has hurt himself in the river, no action has been taken in cleaning fallen tree or brush. 20180403 - A re-inspection was conducted, no action has been taken by H/O to remove tree. 20180907 - Engineering is in review to remove tree from the river. 20181024 - EPT spoke with P/O across from tree to allow city to remove tree from that side of the river, she verbally agreed, written agreement to follow. 20190129 - Cost sharing program established, letter sent to P/O. 20190226 - No contact from property owner about tree removal. 20190326 - Tree remains in the river, seeking information from Corp Counsel to proceed to next step. **Pending**

C.O. INSPECTIONS:

Matthews Street - Gillette Way Unit 41

Allentown Road - Woodshire Unit 27

Allentown Road - Woodshire Unit 39

NOTICE AND NOTICE OF VIOLATION LETTERS:

234 Riverside Avenue - Tree within the Paquabuck River - **Pending**

360 Minor Street - #1759 Permit incomplete - **Pending**

247 Park Street - #1811 Permit incomplete - **Pending**

201 Fox Hollow Lane - NOV - Erosion and Sediment - **Pending**

Lot 21 Waterbury Road - NOV - Unpermitted activity within a regulated area - **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

March 13, 2019

Gabriel & Ann Marie Russo
23 Bethel Street
Bristol CT, 06010

Re: Notice of Violation - Unpermitted activity with a regulated area - Lot 21 Waterbury Road Bristol CT, 06010

Upon a recent site inspection, it was discovered that there are unpermitted activities being conducted on the above mentioned property. Our records indicate that you own this property. It appears that several loads of stone were deposited within a regulated area, as well as disturbing the natural and indigenous character of the land. Equipment is also being staged and repaired onsite that could cause soil impact within the regulated area adjacent to the river.

You are required to take the following actions and repairs:

- Immediately cease any deposits of material within the regulated area,
- Remove all materials newly deposited within the regulated area,
- Restore disturbed area to pre-existing conditions,
- Inspect and police all staged equipment for leaks, repair leaks and remove/dispose of all impacted soils properly,

All removal and restoration work shall be done under the supervision of the Bristol Engineering Department, **OR**, submit wetlands application to the Bristol Inland Wetlands Commission for permission to conduct the existing activities.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by March 27, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Jason Gagnon".

Jason Gagnon
Environmental Protection Technician

Cc: Inland Wetlands Commission
Environmental Protection Technician



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

February 28, 2019

Raymond and Dawn Darren
201 Fox Hollow Lane
Bristol, Connecticut 06010

Re: Notice of Violation - Response to Drainage Concerns, 201 Fox Hollow Lane Bristol, CT 06010

An inspection of the above mentioned property was conducted on February 27, 2018 due to concerns of apparent erosion runoff. It appears that lack of erosion control methods during the construction of a pool is allowing sediment laden runoff to deposit in the adjacent cul de sac and enter the storm water conveyance system. During the permitting process it was discussed about the limits of disturbance due to regulated area to the north of your property. These limits have been surpassed, which is disturbing the natural indigenous character of the land.

You are required to take the following actions:

- Immediately install erosion control and maintain until vegetation is established,
- Remove all sediment from the sidewalk/cul de sac area and relocate to a non-regulated area,
- Remove all materials deposited into regulated areas and restore the area to pre-disturbance conditions,
- OR, Submit Inland Wetlands Application to the Bristol Inland Wetlands Commission for permission to conduct the existing activities

Please contact the Engineering Department with a remedial plan of action and conduct restoration before March 14, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,


A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.


Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



201 Fox Hollow Lane





City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

April 22, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	3/28, 4/5, 4/11, 4/17	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	3/28, 4/5, 4/11, 4/17	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	3/28, 4/4, 4/11, 4/17	Act
#1762	234 Riverside Avenue	Parking lot expansion (Exp. 20190519)	3/29, 4/5, 4/11, 4/17	Inact
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	3/29, 4/5, 4/11, 4/17	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	3/29, 4/5, 4/11, 4/17	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	3/28, 4/4, 4/11, 4/17	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	3/28, 4/5, 4/11, 4/17	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	3/28, 4/5, 4/11, 4/17	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	3/28, 4/4, 4/11, 4/17	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	3/28,4/5, 4/12, 4/17	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	3/29, 4/5, 4/12, 4/17	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	3/28, 4/5, 4/11, 4/17	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	3/28, 4/4, 4/12, 4/17	Inact

No.	Location	Description	Inspection Dates	Status
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	3/28, 4/5, 4/11, 4/17	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	3/28, 4/4, 4/11, 4/17	Inact
#1837	780 James P Casey Road	Install 14 column supports (Exp. 20230220)	3/28, 4/4, 4/11, 4/17	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	3/28, 4/4, 4/12, 4/17	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	3/28, 4/4, 4/12, 4/17	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	3/28, 4/4, 4/11, 4/17	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	3/29, 4/5, 4/12, 4/17	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	3/28, 4/4, 4/12, 4/17	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	3/28, 4/4, 4/11, 4/17	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	3/28, 4/5, 4/12, 4/17	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	3/29, 4/5, 4/12, 4/17	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	3/28, 4/5, 4/11, 4/17	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	3/28, 4/4, 4/11, 4/17	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	3/28, 4/4, 4/11, 4/17	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	3/28, 4/4, 4/12, 4/17	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	3/28, 4/5, 4/11, 4/17	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	3/28, 4/4, 4/11, 4/17	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	3/29, 4/5, 4/12, 4/17	Inact
#1857	71 Ipswitch Road	Construct house addition (Exp. 20231015)	3/28, 4/5, 4/10, 4/17	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	3/28, 4/5, 4/11, 4/17	Act
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	3/29, 4/4, 4/12, 4/17	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	3/28, 4/5, 4/12, 4/17	Act

No.	Location	Description	Inspection Dates	Status
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	3/28, 4/4, 4/11, 4/17	Inact
#1863	700 Emmett Street	Addition to existing building (Exp. 20240306)	3/28, 4/5, 4/11, 4/17	Inact

SPECIAL INSPECTION:

1168 Farmington Avenue - 20190326 - During a inspection of the brook it appears trash is blowing from 2 businesses dumpster area into a regulated area. See NOV. **Pending**

234 Beths Avenue - 20190401 - During a routine inspection it was discovered that the erosion controls were failing as well as the tracking pad. See NOV. 20190412 - a re-inspection was conducted on 20190412, no action has been taken, EPT sent a 2nd NOV. Citation process to begin 20190419 if not repaired. **Pending.**

34-33A Lot East Main Street - 20190404 - EPT documenting current violation and issuing citations accordingly. 20190408 - EPT documenting current violation and issuing citations accordingly, unmarked oil drums were removed off site. 20190409 - EPT documenting current violation and issuing citations accordingly, trash in the woods was removed off site. 20190416 - EPT documenting current violation and issuing citations accordingly, Property Owner stopped receiving citations per Corp Councils direction. 20190418 - EPT documenting current violation and issuing citations accordingly, staged vehicles were being removed from the site. **Pending**

201 Fox Hollow Lane - 20190227 - Erosion and sediment was discovered coming from a disturb area adjacent to the storm trust pond. 20190307 - EPT spoke with P/O, pool contractor to install erosion control measures and a wetlands application will be applied for. 20190326 - Silt fence has been installed in areas that are eroding, P/O has hired a Land Surveyor to create a building plan to be submitted to the Wetlands Commission fro a permit. 20190415 - Land Surveyor met with EPT and discussed preliminary plan, will apply for Wetlands permit.

Pending

Lot 21 Waterbury Road - 201903112 - During a inspection it was discovered that numerous loads of materials have been deposited into a regulated area. 20190326 - Materials remain onsite with out a contact from the P/O. 20190416 - Meeting scheduled. **Pending**

141-145 Skyridge Road - 20181211 - A concern of icing on the roadway. See NOV. 20181218 - P/O of 145 Skyridge Road contacted EPT stating the P/O of 141-143 conducted all work to relieve water issue in his 2 units, her was not involved. 20190207 - Hay bales were installed to create a barrier inhibiting the flow of water to the roadway. 20190409 - Drain not causing an adverse impact to roadway. **Closed**

Memorial Boulevard - 20190108 - A concern of a tree within the river. 20190204 - Donna Klein (Sachem Capital), contacted EPT in regards to the fallen tree, will remove ASAP. 20190225 - A re-inspection was conducted, tree was removed, a loose stump remained. EPT emailed P/O (Jeffrey Griffin), stump to be removed immediately. 20190321 - The loose stump remains along the edge of the river. 20190412 - EPT inspected bank of river, stump has been removed. **Closed**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. 20190322 - Work has not begun to complete the project. 20190412 - Layout for the project has begun with CBYD. **Pending**

37 Norton Street - 20190215 - Due to a concern of sedimentation depositing into the City of Bristol right of way, a site investigation was conducted. The side yard grass is being used as a parking area where rain and snow melt are causing erosion due to lack of vegetation. 20190319 - Pass way area along the eastern portion of property under review for ownership. 20190411 - Corp Council researching property of pass way, P/O of 37 Norton Street mailing address was undeliverable, Corp Council also researching. **Pending**

67 John Avenue - 20180102 - A re-inspection following the P/O's email to the EPT on 20171023 stating he has hurt himself in the river, no action has been taken in cleaning fallen tree or brush. 20180403 - A re-inspection was conducted, no action has been taken by H/O to remove tree. 20180907 - Engineering is in review to remove tree from the river. 20181024 - EPT spoke with P/O across from tree to allow city to remove tree from that side of the river, she verbally agreed, written agreement to follow. 20190129 - Cost sharing program established, letter sent to P/O. 20190226 - No contact from property owner about tree removal. 20190412 - Tree remains in the river, **Final** NOV sent, citation process to begin 20190429 if tree is not removed. **Pending**

NOTICE AND NOTICE OF VIOLATION LETTERS:

234 Beths Avenue - NOV 20190401, 2nd NOV 20190412 - Response to drainage concerns - **Pending**

67 John Avenue - 3rd NOV - Dumping materials at edge of Coppermine Brook - **Pending**

1162 Farmington Avenue - NOV - Dumping materials within a regulated area. **Pending**

1168 Farmington Avenue - NOV - Dumping materials within a regulated area. **Pending**

332 Shrub Road - NOV - Fallen tree within the Negro Hill Brook. **Pending**

178 Falls Brook Road - NOV - Fallen tree within the Negro Hill Brook. **Pending**

188 Falls Brook Road - NOV - Fallen tree within the Negro Hill Brook. **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 3, 2019

ELEVEN SIXTYEIGHT LLC
33 Wolcott Road
Wolcott CT, 06716

Re: Notice of Violation – Dumping Material within regulated areas – 1168 Farmington Avenue

Based on an annual inspection of the above referenced property, it appears that there are current activities that are in violation of the City's Inland Wetlands and Floodplain Regulations. It appears that debris (i.e. trash) has been dumped within the regulated areas.

You are required to take the following actions and repairs.

- Immediately remove the existing debris,
- Cease placing any debris within regulated areas,
- Consistently keep all dumpsters closed,

Please contact the Engineering Department with a remedial plan of action and conduct restoration by April 17, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal flourish extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer
Pet Supplies Plus



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 3, 2019

ELEVEN SIXTYEIGHT LLC
33 Wolcott Road
Wolcott CT, 06716

Re: Notice of Violation – Dumping Material within regulated areas – 1162 Farmington Avenue

Based on an annual inspection of the above referenced property, it appears that there are current activities that are in violation of the City's Inland Wetlands and Floodplain Regulations. It appears that debris (i.e. trash) has been dumped within the regulated areas.

You are required to take the following actions and repairs.

- Immediately remove the existing debris,
- Cease placing any debris within regulated areas,
- Consistently keep all dumpsters closed,

Please contact the Engineering Department with a remedial plan of action and conduct restoration by April 17, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer
Carrier Learning Center



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 12, 2019

Jason Gorneault
5 Summer Glen
Bristol, Connecticut 06010

Re: 2nd Notice of Violation - Response to Drainage Concerns – 234 Beths Avenue Bristol CT 06010

A re-inspection on April 12, 2019 was conducted, it appears that the current erosion control system remains improperly installed and the current state of the construction entrance does not meet the approved building plan. Sediment laden runoff and processed aggregate is still being allowed to enter the roadway and storm conveyance system. This violates Bristol's Code of Ordinances, Section 21-6 - Unlawful Deposits, and the Building Permit Site/Plot Plan Conditions (attached).

You are required to promptly take the following actions:

- Immediately remove any unserviceable silt fence and **PROPERLY** install temporary erosion control until stabilization as per the approved building plan ,
- Immediately remove all sediment from roadway, down to the catch basin in front house #210 Beths Avenue,

Please make these corrections immediately, but no later than April 18, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

Attachments: Silt Fence Detail
Section 21-6 – Unlawful Deposits
Building Permit Site/Plot Plan Conditions



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 2, 2019

Jason Gorneault
5 Summer Glen
Bristol, Connecticut 06010

Re: Notice of Violation - Response to Drainage Concerns – 234 Beths Avenue Bristol CT 06010

During a routine inspection on April 1, 2019, it appears that the current erosion control system is improperly installed and the current state of the construction entrance does not meet the approved building plan. Sediment laden runoff and processed aggregate is being allowed to enter the roadway and storm conveyance system. This violates Bristol's Code of Ordinances, Section 21-6 - Unlawful Deposits, and the Building Permit Site/Plot Plan Conditions (attached).

You are required to promptly take the following actions:

- Immediately remove any unserviceable silt fence and **PROPERLY** install temporary erosion control until stabilization as per the approved building plan ,
- Immediately remove all sediment from roadway, down to the catch basin in front house #210 Beths Avenue,

Please make these corrections immediately, but no later than April 9, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

Attachments: Silt Fence Detail
Section 21-6 – Unlawful Deposits
Building Permit Site/Plot Plan Conditions

Review Date: 8/6/18



Type of Improvement:

- Residential
- Commercial
- Sewer/Storm Connection
- Driveway/Sidewalk
- Erosion Control

Property Location:

Lot: 73

Address: 234 Beths Ave

CITY OF BRISTOL

Building Permit Site / Plot Plan Conditions

The following items are included as conditions of the granted Building Permit for the above referenced improvement:

- Erosion and sedimentation control measures shall be installed, prior to the start of any construction, so as to intercept all earth materials downstream of the proposed excavation/disturbed area(s) for the proposed improvement. See the attached sheet for required/modified erosion and sedimentation control locations.
- Existing grades around the proposed improvement shall be maintained and all surplus excavated material shall be removed from the property.
- All provisions, conditions, and/or stipulations of Wetlands Permit # N/A and/or Flood Plain Permit # _____ shall be satisfied. (See attached).
- Other Infiltration system for roof area, sized for 1" over roof area, shall be installed and shown on as-built plan

Based on the plot plan submitted, the following applicable permits are to be obtained from the Public Works Department will be required for the respective installations. All required permits must be obtained, all fees paid, releases signed, and bonds and insurance certificates submitted prior to any work for the proposed installations. Contact the Public Works Department with questions, fee payments, to obtain permits, release forms, and / or to make arrangements, etc. Public Works phone number is (860) 584-6125 [8:30 A.M. to 5:00 P.M.].

Inspector's Office Hours: 8:00 A.M. to 9:00 A.M and 4:00 P.M. to 4:30 P.M

Inspector's Phone Numbers: Highway Inspector: (860) 584-6114

Sewer Inspector: (860) 584-6115

Inland Wetlands Enforcement Officer: (860) 584-6116

Sanitary Sewer Lateral Permit: Storm Sewer Connection Permit – Contact the City Sewer Inspector at above phone numbers. Contractor installing sewer laterals and/or storm sewer connection shall notify the City Sewer Inspector between 24 and 48 hours prior to any such installation and/or connection to make arrangements for an inspection of the sewer lateral and/or storm sewer installation. No sanitary sewer lateral or storm sewer shall be backfilled prior to an inspection of the complete pipe installation by the City Sewer Inspector. [Per Sec. 22-19(f)(4) of the Code of Ordinances - City of Bristol; all building sewers shall have a gravity back flow preventer.] A dye test will be required prior to issuance of a C.O.



Underground Utility Service (City water, electric, cable TV, gas and/or telephone) Trench Permit (if excavation required within the City R.O.W.) – Contact the City Sewer Inspector at above phone numbers.

Driveway Apron and/or Sidewalk Permit – Contact the Highway Inspector at above numbers. Contractor constructing driveway apron and/or sidewalk shall notify the City Highway Inspector between 24 and 48 hours prior to any driveway apron and/or sidewalk construction to make arrangements for an inspection of the work within the City R.O.W.

AS-BUILT plot plans must be submitted for Engineering Division review at least three (3) days prior to the required Engineering sign off for issuance of a Certificate of Occupancy (C.O.). AS – BUILT plot plans must include as-built grading of the site.

Failure to comply with the above conditions could result in delays associated with the issuance of a Certificate of Occupancy for the improvement and/or the institution of other restrictions and/or requirements.

Signed/Initialed: CSW/ep 8/6/18



Sec. 21-6. - Unlawful deposits.

- (a) No waste paper, old clothing, bedding, ashes, dirt, store sweepings, vegetable or animal matter, or refuse or rubbish of any kind shall be thrown or placed on any street or sidewalk within the limits of the city.
- (b) No person shall throw, cast or lay, or negligently permit to fall upon the highways of this city any scrap metal, wire, crushed stone, sawdust, waste paper, or other substance injurious to the traffic of such highways, or rendering such highways unsightly; provided that necessary repairs to or lawful excavations in such highways shall not be affected by this section.

(Code 1960, § 23-8)

Cross reference— Garbage, trash and refuse, Ch. 10.



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 12, 2019

Kellie M. Kenny
67 John Avenue
Bristol, Connecticut 06010

**Re: 3rd Notice of Violation – Dumping Material at the edge of the Coppermine Brook –
67 John Avenue**

A re-inspection on April 12, 2019 of the above mentioned property was conducted following the January 30, 2019 Cost Sharing Program letter. It appears that a tree has fallen within the river that could inhibit flow and cause damage, also, yard debris remains along the bank of the river. Our records indicate that you own to the center of the river.

You are required to take the following actions and repairs:

- Immediately remove yard debris within the regulated area,
- Immediately remove fallen tree within the river,
- Dispose of all materials outside of regulated area, see attached map.

Please make these corrections immediately, but no later than April 26, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

Please see attached, previous correspondence. The Cost Share Program is still available for the tree removal from the river.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in blue ink, appearing to read "J Gagnon", with a horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

67 John Avenue



Legend

-  Bristol Wetlands
-  Wetlands 100' Regulated Area
-  Bristol Watercourse





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 12, 2019

Delphis Martin
188 Falls Brook Road
Bristol, Connecticut 06010

Re: Notice of Violation – Fallen tree within the Negro Hill Brook – 188 Falls Brook Road

During a routine inspection of the brook it was discovered that a tree has fallen into the river impacting flow. Our records indicate that you own this portion of the river.

You are required to take the following actions and repairs:

- Immediately remove yard debris within the regulated area,
- Immediately remove fallen tree within the river,
- Dispose of all materials outside of regulated area, see attached map.

To aid with the removal, the City of Bristol has recently adopted a Cost Sharing Program. This program allows the city to share up to 50% of the cost for the removal of trees and wooden debris along watercourses and floodways. If you would like more information about the program, please contact Bristol Public Works at 860-584-6125.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before April 26, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician



cc: Inland Wetlands Commission
Environmental Engineer

188 Falls Brook Road



Legend

-  Bristol Wetlands
-  Wetlands 100' Regulated Area
-  Bristol Watercourse
-  Watercourse 100' Regulated Area





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 12, 2019

Michael & Currie Georgen
178 Falls Brook Road
Bristol, Connecticut 06010

Re: Notice of Violation – Fallen tree within the Negro Hill Brook – 178 Falls Brook Road

During a routine inspection of the brook it was discovered that a tree has fallen into the river impacting flow. Our records indicate that you own this portion of the river.

You are required to take the following actions and repairs:

- Immediately remove yard debris within the regulated area,
- Immediately remove fallen tree within the river,
- Dispose of all materials outside of regulated area, see attached map. .

To aid with the removal, the City of Bristol has recently adopted a Cost Sharing Program. This program allows the city to share up to 50% of the cost for the removal of trees and wooden debris along watercourses and floodways. If you would like more information about the program, please contact Bristol Public Works at 860-584-6125.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before April 26, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician



cc: Inland Wetlands Commission
Environmental Engineer

178 Falls Brook Road



Legend

-  Bristol Wetlands
-  Wetlands 100' Regulated Area
-  Bristol Watercourse
-  Watercourse 100' Regulated Area





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

April 12, 2019

Erin Mortyko
332 Shrub Road
Bristol, Connecticut 06010

Re: Notice of Violation – Fallen tree within the Negro Hill Brook – 332 Shrub Road

During a routine inspection of the brook it was discovered that a tree has fallen into the river impacting flow. Our records indicate that you own this portion of the river.

You are required to take the following actions and repairs:

- Immediately remove yard debris within the regulated area,
- Immediately remove fallen tree within the river,
- Dispose of all materials outside of regulated area, see attached map.

To aid with the removal, the City of Bristol has recently adopted a Cost Sharing Program. This program allows the city to share up to 50% of the cost for the removal of trees and wooden debris along watercourses and floodways. If you would like more information about the program, please contact Bristol Public Works at 860-584-6125.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before April 26, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in blue ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician



cc: Inland Wetlands Commission
Environmental Engineer

332 Shrub Road



Legend

-  Bristol Wetlands
-  Wetlands 100' Regulated Area
-  Bristol Watercourse
-  Watercourse 100' Regulated Area





City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

May 28, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	5/9, 5/16, 5/21, 5/28	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	5/9, 5/16, 5/28	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	5/3, 5/10, 5/16, 5/24	Expired
#1762	234 Riverside Avenue	Parking lot expansion (Exp. 20190519)	5/2, 5/9, 5/16, 5/23	Expired
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	5/10, 5/16, 5/23	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	5/10, 5/16, 5/23	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	5/10, 5/16, 5/23	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	5/2, 5/9, 5/16, 5/23	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	5/9, 5/16, 5/28	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	5/2, 5/9, 5/16, 5/23	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	5/10, 5/16, 5/28	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	5/10, 5/16, 5/28	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	5/9, 5/16, 5/28	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	5/3, 5/10, 5/16, 5/24	Inact

No.	Location	Description	Inspection Dates	Status
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	5/2, 5/9, 5/16, 5/23	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	5/2, 5/10, 5/16, 5/23	Inact
#1837	780 James P Casey Road	Install 14 column supports (Exp. 20230220)	5/3, 5/10, 5/16, 5/24	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	5/3, 5/10, 5/16, 5/24	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	5/3, 5/10, 5/16, 5/24	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	5/2, 5/9, 5/16, 5/23	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	5/2, 5/10, 5/16, 5/23	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	5/3, 5/10, 5/16, 5/23	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	5/2, 5/10, 5/16, 5/23	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	5/10, 5/16, 5/23	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	5/10, 5/16, 5/28	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	5/2, 5/9, 5/16, 5/23	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	5/2, 5/9, 5/16, 5/23	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	5/2, 5/10, 5/16, 5/23	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	5/3, 5/10, 5/16, 5/23	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	5/9, 5/16, 5/28	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	5/2, 5/9, 5/16, 5/23	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	5/9, 5/16, 5/28	Inact
#1857	71 Ipswitch Road	Construct house addition (Exp. 20231015)	5/9, 5/16, 5/28	Complete
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	5/9, 5/16, 5/23	Act
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	5/10, 5/16, 5/23	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	5/2, 5/9, 5/16, 5/23	Act

No.	Location	Description	Inspection Dates	Status
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	5/2, 5/10, 5/16, 5/23	Inact
#1863	700 Emmett Street	Addition to existing building (Exp. 20240306)	5/2, 5/9, 5/16, 5/23	Act

SPECIAL INSPECTION:

East Main Street - 20190501 - During an inspection of an adjacent property it was discover 4 neighboring properties were dumping within a regulated area. See NOV's 20190516 - A re-inspection was conducted at all 4 properties, 1 P/O started removing debris but did not complete. **Pending**

106 Pinehurst Road - 20190508 - Due to a concern an site visit was conducted, surface stabilization is not complete and erosion control has been removed. See NOV. 20190520 - P/O contacted EPT, stated that a stabilized surface would be install the week of May 28, 2019. **Pending**

91 Gregory Road - 20190514 - Due to a concern of flooding a site inspection was conducted. A fallen tree is restricting flow within the brook. See NOV. 20190516 - P/O's daughter contacted EPT, tree will be removed from river ASAP. **Pending**

1168 Farmington Avenue - 20190326 - During a inspection of the brook it appears trash is blowing from 2 businesses dumpster area into a regulated area. See NOV. 20190515 - A re-inspection was conducted, all trash has been removed. **Closed**

1200 Farmington Avenue - 20190515 - During inspection of an adjacent property it was discovered that several trees had fallen into the brook and are restricting flow. See NOV. **Pending**

12 Old Cider Mill Road - 20190521 - During the weekly permit inspection it was discovered that the new P/O had installed a driveway extension of processed aggregate and installed a concrete patio within a regulated without a permit. See NOV. **Pending**

234 Beths Avenue - 20190401 - During a routine inspection it was discovered that the erosion controls were failing as well as the tracking pad. See NOV. 20190412 - a re-inspection was conducted on 20190412, no action has been taken, EPT sent a 2nd NOV. Citation process to begin 20190419 if not repaired. 20190430 - Erosion control has been repaired and the roadway has been swept clean. **Closed**

34-33A Lot East Main Street - 20190404 - EPT documenting current violation and issuing citations accordingly. 20190408 - EPT documenting current violation and issuing citations accordingly, unmarked oil drums were removed off site. 20190409 - EPT documenting current violation and issuing citations accordingly, trash in the woods was removed off site. 20190416 - EPT documenting current violation and issuing citations accordingly, Property Owner stopped receiving citations per Corp Councils direction. 20190418 - EPT documenting current violation and issuing citations accordingly, staged vehicles were being removed from the site. 20190430 - During the scheduled Citation Hearing a tentative agreement to remove all materials of concern and apply for development of the site. **Pending**

201 Fox Hollow Lane - 20190227 - Erosion and sediment was discovered coming from a disturb area adjacent to the storm trust pond. 20190307 - EPT spoke with P/O, pool contractor to install erosion control measures and a wetlands application will be applied for. 20190326 - Silt fence has been installed in areas that are eroding, P/O has hired a Land Surveyor to create a building plan to be submitted to the Wetlands Commission for a permit. 20190415 - Land Surveyor met with EPT and discussed preliminary plan, will apply for Wetlands permit. 20190506 - Wetlands permit approved. **Closed**

Lot 21 Waterbury Road - 201903112 - During a inspection it was discovered that numerous loads of materials have been deposited into a regulated area. 20190326 - Materials remain onsite with out a contact from the P/O. 20190416 - Meeting scheduled with P/O lawyer. 20190509 - Onsite meeting with P/O and engineer, plans to be submitted for wetlands approval to construct and maintain existing roadway. **Pending**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. 20190322 - Work has not begun to complete the project. 20190412 - Layout for the project has begun with CBYD. **Pending**

37 Norton Street - 20190215 - Due to a concern of sedimentation depositing into the City of Bristol right of way, a site investigation was conducted. The side yard grass is being used as a parking area where rain and snow melt are causing erosion due to lack of vegetation. 20190319 - Pass way area along the eastern portion of property under review for ownership. 20190411 - Corp Council researching property of pass way, P/O of 37 Norton Street mailing address was undeliverable, Corp Council also researching. 20190510 - EPT made contact with P/O, sidewalk and roadway to be cleaned. 20190514 - P/O of 29 Norton informed EPT that sidewalk and roadway have been cleaned. **Closed**

67 John Avenue - 20180102 - A re-inspection following the P/O's email to the EPT on 20171023 stating he has hurt himself in the river, no action has been taken in cleaning fallen tree or brush. 20180403 - A re-inspection was conducted, no action has been taken by H/O to remove tree. 20180907 - Engineering is in review to remove tree from the river. 20181024 - EPT spoke with P/O across from tree to allow city to remove tree from that side of the river, she verbally agreed, written agreement to follow. 20190129 - Cost sharing program established, letter sent to P/O. 20190226 - No contact from property owner about tree removal. 20190412 - Tree remains in the river, **Final** NOV sent, citation process to begin 20190429 if tree is not removed. 20190516 - Corp Council sent letter in regards to tree within the river. **Closed**

NOTICE AND NOTICE OF VIOLATION LETTERS:

106 Pinehurst Road - Notice - Silt entering roadway. **Pending**

91 Gregory Road - NOV - Fallen tree within the river. **Pending**

Lot 33 East Main Street - NOV1 & NOV 2 - Debris with regulated area. **Pending**

162 East Main Street - NOV 1 & NOV 2 - Debris being dumped within the regulated area. **Pending**

158 East Main Street - NOV 1 & NOV 2 - Debris being dumped within the regulated area. **Pending**

Lot 34D East Main Street - NOV 1 & NOV 2 - Debris dumped within a regulated area. **Pending**

1200 Farmington Avenue - NOV - Fallen tree within the tributary. **Pending**

12 Old Cider Mill Road - NOV - Placing Materials and building within a regulated area. **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 23, 2019

Boris Sanmartin and Patricia Pinell
12 Old Cider Mill Road
Bristol, Connecticut 06010

Re: Notice of Violation – Placing materials and building within the 100' Upland Review area – 12 Old Cider Mill Road

Based on an onsite inspection conducted at the above referenced property on May 21, 2019, it appears that there are current activities that are in violation of the City's Inland Wetlands Regulations. It appears that several loads of processed stone have been placed to create a larger driveway within the 100' upland review area, adjacent to the wetlands. Also a concrete patio was constructed within the regulated area. These activities are not in accordance with the current Inland Wetlands Permit #1838. These activities are not allowed or are required to be permitted with a Wetlands Permit by the Inland Wetlands Commission.

You are required to take the following actions and repairs:

- Immediately cease work within regulated areas,
- Remove and Restore to pre disturbed conditions,
- OR, Submit a Inland Wetlands Applications for permission to conduct the referenced activities.

Please contact the Engineering Department by May 31, 2019 at (860) 584-6116. Be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116. If you intend to submit an application for the referenced activities it should be in accordance with the wetland regulations no later than June 24, 2019 to be heard at the July Wetland Commission meeting

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

Zoning Board of Appeals		Historic District Commission		Zoning Commission		Wetlands Commission		Planning Commission	
Meeting Date (1)	Application Filing Deadline	Meeting Date (2)	Application Filing Deadline	Meeting Date (3)	Application Filing Deadline	Meeting Date (4)	Application Filing Deadline	Meeting Date (5)	Application Filing Deadline
Jan. 2, '19*	Dec. 17	Jan. 2, '19	Dec. 24	Jan. 9, '19	Jan. 2, '19 (W)	Jan. 3, '19*	Dec. 17	Jan. 30, '19*	Jan. 16, '19 (W)
Feb. 5	Jan. 22 (Tu)	-	Feb. 19 (Tu)	Feb. 13	Feb. 6 (W)	Feb. 6	Jan. 28	Feb. 27	Feb. 13 (W)
March 5	Feb. 19 (Tu)	March 27	March 18	March 13	March 6 (W)	March 6	Feb. 25	March 27	March 13 (W)
April 2	March 18	-	April 15	April 10	April 3 (W)	April 3	March 25	April 24	April 10 (W)
May 7	April 22	May 29*	May 20	May 8	May 1 (W)	May 1	April 22	May 29*	May 15 (W)
June 4	May 20	-	June 17	June 12	June 5 (W)	June 5	May 28 (Tu)	June 26	June 12 (W)
July 2	June 17	July 31*	July 22	July 10	July 3 (W)	July 2	June 24	July 31*	July 17 (W)
August - No Meeting		-	Aug. 19	Aug. 14	Aug. 7 (W)	Aug. 7	July 29	Aug. 28	Aug. 14 (W)
Sept. 3	Aug. 19	Sept. 25	Sept. 16	Sept. 11	Sept. 4 (W)	Sept. 4	Aug. 26	Sept. 25	Sept. 11 (W)
Oct. 1	Sept. 16	-	Oct. 21	Oct. 9	Oct. 2 (W)	Oct. 2	Sept. 23	Oct. 30*	Oct. 16 (W)
Nov. 4*	Oct. 21	Nov. 27	Nov. 18	Nov. 13	Nov. 6 (W)	Nov. 6	Oct. 28	Nov. 27	Nov. 13 (W)
Dec. 3	Nov. 18	-	Dec. 16	Dec. 11	Dec. 4 (W)	Dec. 4	Nov. 25	Dec. 26*	Nov. 13 (W)
Jan. 7, '20	Dec. 23	Jan. 29, '20*	Jan. 21 (Tu)	Jan. 8, '20	Dec. 31 (Tu)	Jan. 2, 2020*	Dec. 23	Jan. 29, '20*	Jan. 15, '20 (W)

(1) Zoning Board of Appeals meets on the 1st Tuesday of the month, except as noted (1st Wednesday of January 2019, 1st Monday of November)

(2) Historic District Commission meets on the 4th Wednesday of the month, except as noted (*5th Wednesday of May, July, and January 2020)

(3) Zoning Commission meets on the 2nd Wednesday of the month.

(4) Inland Wetlands Commission meets on the 1st Wednesday of the month, except as noted (*1st Thursday of January 2019 and 2020; 1st Tuesday of July)

(5) Planning Commission meets on the 4th Wednesday of the month, except as noted (*5th Wednesday of January, May, July, October 2019 and January 2020; 4th Thursday in December 2019)


(6) Zone changes, use variances and certain Special Permits specified in the Zoning Regulations must be referred to the Planning Commission for a report prior to the public hearing by the Zoning Commission or ZBA.

NOTE: CUTOFF TIME FOR EACH FILING DEADLINE LISTED ABOVE IS 12:00 NOON. NO EXCEPTIONS!

ALL APPLICATION FILING DEADLINES ARE MONDAY EXCEPT WHERE NOTED. ALL APPLICATIONS MUST BE FILED IN PERSON.



12 Old Cider Mill Road



Legend

Watercourse lines



Watercourse 100' Regulated Area





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 17, 2019

Route 6 Developers LLC
1224 Mill Street, Bldg D, Ste 103
East Belin, CT 06023-1159

Re: Notice of Violation – Fallen tree within of the tributary – 1200 Farmington Avenue

An inspection of the above mentioned property was conducted on May 15, 2019. Our records indicate that you own both sides of the brook. It appears that there are several tree fallen into the brook.

You are required to take the following actions and repairs.

- Immediately remove all fallen trees within the brook,
- Remove all sticks and leaves that could cause a future blockage.

Please consider a system where the brook is being monitored regularly, to ensure that the regulated area remains clear of debris.

Please contact the Engineering Department and conduct restoration by May 31, 2019. Be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Environmental Engineer
Inland Wetlands Commission



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 14, 2019

Kenneth Bilodeau
91 Gregory Road
Bristol, Connecticut 06010

Re: Notice of Violation – Fallen tree within the brook – 91 Gregory Road

During a routine inspection of the brook it was discovered that a tree has fallen into the river impacting flow. Our records indicate that you own this portion of the river.

You are required to take the following actions and repairs:

- Immediately remove fallen tree within the river,
- Immediately remove yard debris within the regulated area,
- Dispose of all materials outside of regulated area, see attached map.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before May 28, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "JGagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

91 Gregory Road





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 14, 2019

Timothy and Beverly Woodworth
255 Camp Street
Plainville, CT 06062

Re: Notice – Stabilized Surface – 106 Pinehurst Road Bristol, CT 06010

A site visit was conducted on May 8, 2019 at the above mentioned property inquiring the status of the stabilized surface in the lawn area. It appears that the grass along the edge of road and west of the house is inadequate. A request for a Certificate of Occupancy was submitted on January 18, 2019. An Escrow was suggested for the lawn area on January 24, 2019 allowing the Engineering Dept. to approve for the CO. The city has not received an Escrow for this property for Loam and Seed.

You are required to take the following actions:

- Immediately seed areas in question,
- Immediately remove sediment from roadway,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before May 21, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over the typed name.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 17, 2019

Peter Pipke
154 East Main Street
Forestville, CT 06010

Re: Notice of Violation – Debris dumped within the regulated area – Lot 34D East Main Street Bristol CT, 06010

A re-inspection on May 17, 2019 of the above mentioned property was conducted following the May 1, 2019 Notice of Violation. It appears that debris has been dumped along the southern portion of the parcel within a regulated area. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration of pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please make these corrections immediately, but no later than May 31, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 1, 2019

Peter Pipke
154 East Main Street
Forestville, CT 06010

Re: Notice of Violation – Debris dumped within the regulated area – Lot 34D East Main Street

At a recent inspection of an adjacent property, it was discovered that debris has been dumped along the southern portion of the parcel within a regulated area. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration or pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by May 15, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

Lot 34D East Main Street





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 17, 2019

Ayse Asian
158 East Main Street
Bristol, CT 06010

Re: Notice of Violation – Debris dumped within the regulated area – 158 East Main Street Bristol CT, 06010

A re-inspection on May 17, 2019 of the above mentioned property was conducted following the May 1, 2019 Notice of Violation. It appears that debris remains that is being dumped beyond the southern portion of your property within a regulated area. As well as debris along and within the brook. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration of pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please make these corrections immediately, but no later than May 31, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 1, 2019

Ayse Asian
158 East Main Street
Bristol, CT 06010

Re: Notice of Violation – Debris dumped within the regulated area – 158 East Main Street

At a recent inspection of an adjacent property, it appears that debris is being dumped beyond the southern portion of your property within a regulated area. As well as debris along and within the brook. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration or pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Immediately remove any unnatural obstruction within the brook,
- Dispose of debris outside of the regulated area.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by May 15, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.


Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

158 East Main Street



Legend

- Watercourse lines
- Bristol Wetlands
- Wetlands 100' Regulated Area

100 50 0 100 Feet



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 17, 2019

Roger Morello
18 Hart Street, 2nd Flr.
New Britain CT, 06052

Re: Notice of Violation – Debris dumped within the regulated area – 162 East Main Street Bristol CT, 06010

A re-inspection on May 17, 2019 of the above mentioned property was conducted following the May 1, 2019 Notice of Violation. It appears that debris remains along the brook within a regulated area. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration of pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please make these corrections immediately, but no later than May 31, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 1, 2019

Roger Morello
18 Hart Street, 2nd Flr.
New Britain CT, 06052

Re: Notice of Violation – Debris dumped within the regulated area – 162 East Main Street Bristol CT, 06010

At a recent inspection of an adjacent property, it was discovered that debris has been dumped along the brook within a regulated area. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration of pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by May 15, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.


Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

162 East Main Street





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 17, 2019

The Ghio Family Limited Partnership
8 Summerberry Circle
Bristol CT, 06010

Re: Notice of Violation – Debris dumped within the regulated area – Lot 33 East Main Street Bristol CT, 06010

A re-inspection on May 17, 2019 of the above mentioned property was conducted following the May 1, 2019 Notice of Violation. It appears that debris remains along the brook within a regulated area. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration of pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please make these corrections immediately, but no later than May 31, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 1, 2019

The Ghio Family Limited Partnership
8 Summerberry Circle
Bristol CT, 06010

Re: Notice of Violation – Debris dumped within the regulated area – Lot 33 East Main Street Bristol CT, 06010

At a recent inspection of an adjacent property, it was discovered that debris has been dumped along the brook within a regulated area. This is not allowed. Our records indicate that you own the above mentioned property. The Inland Wetlands Regulations state, *Section 6.2: The Agency shall regulate any operation within or use of wetland or watercourse involving the removal or deposition of material, or any obstruction, alteration of pollution of such wetlands or watercourses... & Section 6.3: Any person found to conducting or maintaining a regulated activity without the prior authorization of the agency or violating any other provisions of these regulations shall be subject to the enforcement proceedings...*

You are required to take the following actions and repairs:

- Immediately remove all debris within the regulated area,
- Dispose of debris outside of the regulated area.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by May 15, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.


Sincerely yours,

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

Lot 33 East Main Street



Legend

-  Watercourse lines
-  Bristol Wetlands
-  Wetlands 100' Regulated Area





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

Inland Wetlands
Environmental Protection Technician
Monthly Report

June 24, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	5/31, 6/7, 6/14, 6/21	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	5/31, 6/6, 6/14, 6/21	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	5/30, 6/6, 6/13, 6/21	Expired
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	5/31, 6/7, 6/13, 6/19	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	5/31, 6/7, 6/13, 6/19	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	5/30, 6/6, 6/13, 6/19	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	5/31, 6/6, 6/14, 6/19	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	5/31, 6/7, 6/14, 6/21	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	5/30, 6/6, 6/13, 6/19	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	5/31, 6/7, 6/13, 6/21	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	6/31, 6/6, 6/13, 6/21	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	5/31, 6/6, 6/14, 6/21	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	5/30, 6/6, 6/13, 6/19	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	5/31, 6/6, 6/14, 6/19	Act

No.	Location	Description	Inspection Dates	Status
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	5/30, 6/6, 6/13, 6/19	Inact
#1837	780 James P Casey Road	Install 14 column supports (Exp. 20230220)	5/30, 6/6, 6/13, 6/19	Complete
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	5/30, 6/6, 6/13, 6/19	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	5/30, 6/6, 6/13, 6/19	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	5/30, 6/6, 6/13, 6/19	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	5/30, 6/6, 6/13, 6/19	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	5/30, 6/6, 6/13, 6/19	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	5/30, 6/6, 6/13, 6/19	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	5/31, 6/6, 6/13, 6/21	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	5/31, 6/6, 6/13, 6/21	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	5/31, 6/6, 6/14, 6/19	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	5/30, 6/6, 6/13, 6/19	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	5/30, 6/6, 6/13, 6/21	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	5/30, 6/6, 6/13, 6/19	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	5/31, 6/7, 6/14, 6/21	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	5/30, 6/6, 6/13, 6/19	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	5/31, 6/7, 6/14, 6/21	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	5/31, 6/6, 6/13, 6/19	Act
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	5/30, 6/6, 6/13, 6/19	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	5/30, 6/7, 6/13, 6/19	Act
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	5/30, 6/6, 6/13, 6/19	Inact

No.	Location	Description	Inspection Dates	Status
#1863	700 Emmett Street	Addition to existing building (Exp. 20240306)	5/31, 6/6, 6/14, 6/19	Act
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	5/31, 6/6, 6/14, 6/21	Inact
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	5/31, 6/6, 6/14, 6/21	Inact
#1867	201 Fox Hollow Lane	Grading and fence installation (Exp. 20240501)	5/31, 6/6, 6/13, 6/19	Act
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	5/31, 6/7, 6/14, 6/21	Inact
#1869	Marsh Road	Construct new house (Exp. 20240610)	5/30, 6/6, 6/13, 6/19	Inact

SPECIAL INSPECTION:

100 Redwood Drive - 20190528 - Due to a concern of filling within a wetland a site inspection was conducted. P/O cut a driveway extension to the west of existing driveway and placed all excavated material in rear of property next to brook. Two sheds were also constructed without a permit. 20190624 - P/O has submitted application for a permit to be reviewed at next scheduled meeting. **Closed**

81 Peacedale Street - 20190607 - Neighboring P/O contacted EPT due to dumping within a regulated area. H/O removed existing fence to install new fence and dumped old fence along the brook. See NOV. 20190613 - EPT spoke with H/O, bulk pick up is June 22, 2019, all materials will be removed. 20190625 - P/O misspoke, bulk pick up is July 22, 2019, all debris will be removed from the regulated area and relocated until bulk pick up date. **Pending**

235 Peck Lane - 20190610 - During a drive by it was discovered that the H/O was regrading the northern portion of the property, no erosion control methods were installed. 20190619 - H/O removed sediment from the roadway, a stabilized surface is beginning to grow. **Pending**

East Main Street - 20190501 - During an inspection of an adjacent property it was discover 4 neighboring properties were dumping within a regulated area. See NOV's 20190516 - A re-inspection was conducted at all 4 properties, 1 P/O started removing debris but did not complete. 20190620 - 3 P/O removed all debris within the regulated area, 1 P/O slowly removing debris, citations to continue until all debris within the regulated area is removed. **Pending**

106 Pinehurst Road - 20190508 - Due to a concern an site visit was conducted, surface stabilization is not complete and erosion control has been removed. See NOV. 20190520 - P/O contacted EPT, stated that a stabilized surface would be install the week of May 28, 2019. 20190603 - Areas in question have been stabilized completing the surface stabilization. **Closed**

91 Gregory Road - 20190514 - Due to a concern of flooding a site inspection was conducted. A fallen tree is restricting flow within the brook. See NOV. 20190516 - P/O's daughter contacted EPT, tree will be removed from river ASAP. 20190531 - A reinspection of the property was conducted, the tree and debris was removed from the brook and disposed of. **Closed**

1200 Farmington Avenue - 20190515 - During inspection of an adjacent property it was discovered that several trees had fallen into the brook and are restricting flow. 20190603 - A re-inspection of the site was conducted, no action has taken place. See NOV 2. 20190614 - Trees have been removed from brook. **Closed**

12 Old Cider Mill Road - 20190521 - During the weekly permit inspection it was discovered that the new P/O had installed a driveway extension of processed aggregate and installed a concrete patio within a regulated area without a permit. 20190624 - P/O has submitted an application to be reviewed at the next scheduled meeting.

Closed

34-33A Lot East Main Street - 20190404 - EPT documenting current violation and issuing citations accordingly. 20190408 - EPT documenting current violation and issuing citations accordingly, unmarked oil drums were removed off site. 20190409 - EPT documenting current violation and issuing citations accordingly, trash in the woods was removed off site. 20190416 - EPT documenting current violation and issuing citations accordingly, Property Owner stopped receiving citations per Corp Councils direction. 20190418 - EPT documenting current violation and issuing citations accordingly, staged vehicles were being removed from the site. 20190430 - During the scheduled Citation Hearing a tentative agreement to remove all materials of concern and apply for development of the site. 20190624 - Millings are beginning to be removed from the site, monitoring will continue. **Pending**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. 20190322 - Work has not begun to complete the project. 20190412 - Layout for the project has begun with CBYD. **Pending**

C.O. INSPECTIONS:

Allentown Road - Saddlebrook - Unit 28

Allentown Road - Saddlebrook - Unit 29

NOTICE AND NOTICE OF VIOLATION LETTERS:

100 Redwood Drive - NOV - Disturbance to wetlands without a permit. **Closed**

1200 Farmington Avenue - NOV 2 - Fallen tree within the tributary - **Closed**

81 Peacedale Street - NOV - Debris in the brook and regulated area - **Pending**

235 Peck Lane - NOV - Response to drainage concerns - **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

June 11, 2019

John & Karen Reardon
235 Peck Lane
Bristol, Connecticut 06010

**Re: Notice of Violation - Response to Drainage Concerns – 235 Peck Lane Bristol, CT
06010**

Due to a concern, a field investigation was conducted on June 10, 2019 at the above mentioned property. It appears the property is being regraded along the northern portion of the property, which is causing erosion. Sediment has been deposited on the roadway and has also flowed into the storm conveyance system.

You are required to take the following actions:

- Properly install temporary erosion control until stabilized surface is established,
- Immediately remove sediment from roadway to nearest catch basin in front of 57 Josephine Terrace,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before June 25, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over the typed name.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

June 8, 2017

James & Mary Foremenko
81 Peacedale Street
Bristol, CT 06010

Re: Notice of Violation – Debris in the brook and within the regulated area – 81 Peacedale Street Bristol, CT 06010

An inspection on June 29, 2017 of the above mentioned property was conducted due to a concern. It appears that there is debris being dumped within the regulated area along the brook. Our records indicate that you own this property that the brook flows through.

You are required to take the following actions and repairs:

- Immediately remove the debris within the regulated areas and dispose of properly.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by June 25, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", with a horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

335 Peck Lane



Legend

-  Watercourse lines
-  Bristol Wetlands
-  Wetlands 100' Regulated Area

90 45 0 90 Feet



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 17, 2019

Route 6 Developers LLC
1224 Mill Street, Bldg D, Ste 103
East Belin, CT 06023-1159

Re: Notice of Violation – Fallen tree within of the tributary – 1200 Farmington Avenue

A re-inspection of the above mentioned property was conducted on June 3, 2019. Our records indicate that you own both sides of the brook. It appears that there are several tree fallen into the brook. No action has been taken at this time to remove the fallen trees.

You are required to take the following actions and repairs.

- Immediately remove all fallen trees within the brook,
- Remove all sticks and leaves that could cause a future blockage.

Please consider a system where the brook is being monitored regularly, to ensure that the regulated area remains clear of debris.

Please contact the Engineering Department and conduct restoration by June 17, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Environmental Engineer
Inland Wetlands Commission



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

May 30, 2019

Lauren Jones & Christopher Lebel
100 Redwood Drive
Bristol, Connecticut 06010

Re: NOTICE OF VIOLATION - Disturbance to Wetlands without a permit – 100 Redwood Drive

Based on a site inspection of the property, it appears that there are current activities on the above referenced property that are in violation of the City's Inland Wetlands Regulations. It appears that a large area along the driveway and house has been excavated and all materials were placed in SW corner of the property adjacent to the brook. Also a pair sheds were also constructed in the SW corner of the property. These construction activities either not allowed or are required to be permitted with a Wetlands Permit by the Inland Wetlands Commission.

You are required to take the following actions and repairs:

- Immediately cease all construction and unpermitted activities,
- Remove any imported materials,
- Restore the area to pre-disturbance conditions,
- Immediately permit both sheds,
- OR, Submit Inland Wetlands Applications for permission to conduct the existing activities.

Please contact the Engineering Department with a remedial plan of action and conduct restoration June 13 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Environmental Engineer
Inland Wetlands Commission

Attachments: Bristol GIS map of 100 Redwood Drive

100 Redwood Drive

4
N





City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

July 29, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	6/26, 7/2, 7/12, 7/19, 7/25	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	6/26, 7/3, 7/11, 7/19, 7/25	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	7/3, 7/11, 7/22, 7/25	Expired
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	7/2, 7/11, 7/22, 7/25	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	7/2, 7/11, 7/22, 7/25	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	6/26, 7/3, 7/11, 7/22, 7/25	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	6/25, 7/2, 7/11, 7/19, 7/25	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	6/26, 7/3, 7/12, 7/19, 7/25	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	6/26, 7/2, 7/11, 7/22, 7/25	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	6/26, 7/3, 7/11, 7/19, 7/25	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	7/3, 7/11, 7/22, 7/25	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	6/26, 7/3, 7/12, 7/22, 7/25	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	6/26, 7/2, 7/11, 7/22, 7/25	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	6/25, 7/2, 7/11, 7/19, 7/25	Act

No.	Location	Description	Inspection Dates	Status
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	6/26, 7/2, 7/11, 7/22, 7/25	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	6/26, 7/3, 7/11, 7/22, 7/25	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	6/26, 7/3, 7/11, 7/22, 7/25	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	6/26, 7/2, 7/11, 7/22, 7/25	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	6/26, 7/2, 7/11, 7/22	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	6/26, 7/3, 7/11, 7/22, 7/25	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	6/26, 7/2, 7/11, 7/22, 7/25	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	7/3, 7/11, 7/22, 7/25	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	7/3, 7/11, 7/22, 7/25	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	6/25, 7/2, 7/11, 7/19, 7/25	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	6/26, 7/2, 7/11, 7/22, 7/25	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	6/25, 7/2, 7/11, 7/22, 7/25	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	6/26, 7/3, 7/11, 7/22, 7/25	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	6/26, 7/3, 7/12, 7/19, 7/25	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	6/25, 7/2, 7/11, 7/22, 7/25	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	6/26, 7/3, 7/12, 7/19	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	6/25, 7/2, 7/11, 7/19, 7/25	Inact
#1859	Mountain View Road	Construct a house addition (Exp. 20231217)	6/26, 7/2, 7/11, 7/22	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	6/26, 7/2, 7/11, 7/22, 7/25	Act
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	6/26, 7/3, 7/11, 7/22, 7/25	Inact
#1863	700 Emmett Street	Addition to existing building (Exp. 20240306)	6/25, 7/2, 7/11, 7/19, 7/25	Act
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	7/3, 7/12, 7/19, 7/25	Inact

No.	Location	Description	Inspection Dates	Status
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	7/3, 7/12, 7/19, 7/25	Inact
#1867	201 Fox Hollow Lane	Grading and fence installation (Exp. 20240501)	6/25, 7/2, 7/11, 7/22, 7/25	Act
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	7/3, 7/11, 7/19, 7/25	Inact
#1869	Marsh Road	Construct new house (Exp. 20240610)	6/26, 7/2, 7/11, 7/22, 7/25	Inact

SPECIAL INSPECTION:

81 Peacedale Street - 20190607 - Neighboring P/O contacted EPT due to dumping within a regulated area. H/O removed existing fence to install new fence and dumped old fence along the brook. See NOV. 20190613 - EPT spoke with H/O, bulk pick up is June 22, 2019, all materials will be removed. 20190625 - P/O misspoke, bulk pick up is July 22, 2019, all debris will be removed from the regulated area and relocated until bulk pick up date. 20190627 - H/O removed debris from regulated area and relocated to a trailer until bulk pick up date.

Closed

235 Peck Lane - 20190610 - During a drive by it was discovered that the H/O was regrading the northern portion of the property, no erosion control methods were installed. 20190619 - H/O removed sediment from the roadway, a stabilized surface is beginning to grow. 20190712 - A re-inspection was conducted, the stabilized surface is complete and the roadway has been cleaned. **Closed**

East Main Street - 20190501 - During an inspection of an adjacent property it was discover 4 neighboring properties were dumping within a regulated area. See NOV's 20190516 - A re-inspection was conducted at all 4 properties, 1 P/O started removing debris but did not complete. 20190620 - 3 P/O removed all debris within the regulated area, 1 P/O slowly removing debris, citations to continue until all debris within the regulated area is removed. Remaining property to be completely cleaned by 20190806 per Citation Appeal Officer or all fines to double. **Pending**

34-33A Lot East Main Street - 20190404 - EPT documenting current violation and issuing citations accordingly. 20190408 - EPT documenting current violation and issuing citations accordingly, unmarked oil drums were removed off site. 20190409 - EPT documenting current violation and issuing citations accordingly, trash in the woods was removed off site. 20190416 - EPT documenting current violation and issuing citations accordingly, Property Owner stopped receiving citations per Corp Councils direction. 20190418 - EPT documenting current violation and issuing citations accordingly, staged vehicles were being removed from the site. 20190430 - During the scheduled Citation Hearing a tentative agreement to remove all materials of concern and apply for development of the site. 20190624 - Millings are beginning to removed from the site, monitoring will continue. 20190719 - site has all violations repaired, grass seed has been spread in the attempt to stabilize all disturbed areas. **Pending**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. 20190322 - Work has not begun to complete the project. 20190412 - Layout for the project has begun with CBYD. **Pending**

136 Empire Way - 2090712 - Streets Superintendent discovered dumping of yard waste along the retention pond, EPT confirmed. 20190715 - P/O contacted EPT, yard waste to be removed, waste was place by temporary yard service. **Closed**

191 Corbin Ridge - 20190715 - During a site inspection it was discovered that the new P/O has been clearing past the development agreed upon clearing limits, with possible conservation easement clearing. 20190729 - Conservation easement marker locations located and staked, some clearing has taken place within the conservation easement. See NOV. **Pending**

C.O. INSPECTIONS:

359 Broad Street

234 Beths Avenue

NOTICE AND NOTICE OF VIOLATION LETTERS:

136 Empire Way

191 Corbin Ridge



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

July 12, 2019

Mark & Dawn Whitford
136 Empire Way
Bristol, Connecticut 06010

Re: Notice of Violation – Yard waste along storm water detention area – 136 Empire Way

Upon conducting field inspection on July 12, 2019 of the above mentioned property, it appears that you have been depositing yard waste along a regulated storm water detention pond within a regulated area. This activity is not allowed, as discussed in previous years during inspections, yard waste cannot be deposited within the pond area.

You are required to take the following actions and repairs:

- Immediately cease placing any yard waste within the detention pond area,
- Remove any material that was deposited and dispose outside the regulated area,
- Restore area to pre-disturbance conditions.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before July 26, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Tech

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

July 19, 2019

Chase & Sarah Matovich
191 Corbin Ridge
Bristol, Connecticut 06010

**Re: NOTICE OF VIOLATION - Disturbance to Regulated Wetland Area Without a Permit –
191 Corbin Ridge**

Based on a recent site inspection, it appears that there are current activities on the above referenced property that are in violation of the City's Inland Wetlands Regulations. It appears that an area along the rear side of the property has been cleared within regulated area. Materials from the clearing have also been placed within a City of Bristol owned open-space area. These activities either are not allowed or are required to be permitted with a Wetlands Permit by the Inland Wetlands Commission.

You are required to take the following actions and repairs:

- Immediately cease disturbance in regulated and conservation areas,
- Immediately install erosion control properly between disturbed and undisturbed conservation area and rear property line
- Remove any placed materials within the open-space and dispose of properly,
- Restore the area to pre-disturbance conditions,
- OR, Submit Inland Wetlands Applications for authorization to conduct regulated activities.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by August 2, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal stroke extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Environmental Engineer
Inland Wetlands Commission



City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

August 27, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	8/2, 8/8, 8/15, 8/23	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	8/2, 8/8, 8/15, 8/23	Act
#1759	360 Minor Street	Parking lot expansion (Exp. 20190519)	8/1, 8/16, 8/23	Complete
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	8/1, 8/9, 8/15, 8/22	Act
#1783	380 King Street	4 three family residences (Exp. 20200518)	8/1, 8/9, 8/15, 8/22	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	8/1, 8/16, 8/23	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	8/1, 8/8, 8/16, 8/22	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	8/2, 8/8, 8/15, 8/23	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	8/1, 8/9, 8/16, 8/22	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	8/2, 8/8, 8/15, 8/23	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	8/1, 8/16, 8/23	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	8/2, 8/8, 8/16, 8/23	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	8/1, 8/16, 8/23	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	8/1, 8/16, 8/22	Act

No.	Location	Description	Inspection Dates	Status
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	8/1, 8/16, 8/23	Inact
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	8/1, 8/16, 8/23	Act
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	8/1, 8/16, 8/23	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	8/1, 8/9, 8/16, 8/22	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	8/1, 8/9, 8/16, 8/22	Inact
#1843	4 Southdown Drive	In ground swimming pool (Exp. 20230521)	8/1, 8/16, 8/23	Complete
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	8/1, 8/15, 8/22	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	8/1, 8/8, 8/16, 8/23	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	8/1, 8/16, 8/23	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	8/8, 8/15, 8/22	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	8/1, 8/9, 8/15, 8/22	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	8/1, 8/9, 8/16, 8/22	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	8/1, 8/16, 8/23	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	8/2, 8/8, 8/15, 8/23	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	8/1, 8/9, 8/16, 8/22	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	8/1, 8/8, 8/15, 8/23	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	8/1, 8/8, 8/15, 8/22	Inact
#1859	76 Mountain View Road	Construct a house addition (Exp. 20231217)	8/1, 8/9, 8/16, 8/22	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	8/1, 8/9, 8/16, 8/22	Act
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	8/1, 8/16, 8/23	Inact
#1863	700 Emmett Street	Addition to existing building (Exp. 20240306)	8/1, 8/8, 8/16, 8/22	Act
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	8/1, 8/15, 8/23	Inact

No.	Location	Description	Inspection Dates	Status
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	8/1, 8/15, 8/23	Inact
#1867	201 Fox Hollow Lane	Grading and fence installation (Exp. 20240501)	8/1, 8/16, 8/23	Act
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	8/2, 8/15, 8/23	Inact
#1869	Marsh Road	Construct new house (Exp. 20240610)	8/1, 8/16, 8/23	Inact
#1872	489 Wolcott Street (Condos)	Roadway maintenance (20240702)	8/23	Act
#1873	100 Redwood Drive	Install 2 shed and gravel driveway (20240807)	8/22	Act
#1875	396 Hart Street	Topsoil and grade rear yard (20240807)	8/23	Act

SPECIAL INSPECTION:

Lot 44 Valmore Road - 20190821 - During a Stormwater Trust pond inspection it was discovered that filling of the wetlands was taking place. Upon further investigation conservation easement signage was not installed. See NOV. 20190827 - EPT spoke with property owner, debris to be removed following installation of 22 Conservation easement signs. **Pending**

Greene Street - 20190812 - Due to a concern of dumping within a regulated area a site investigation was conducted. Dumping is considered illegal dumping referred to Police Dept. Neighboring Property on Locust Street spread construction debris (concrete) along the bank of the brook. See NOV. 20190827 - EPT spoke with P/O of 26 Locust street and a site inspection was conducted, all debris along the bank of the brook has been removed and disposed of off the property. **Closed**

East Main Street - 20190501 - During an inspection of an adjacent property it was discover 4 neighboring properties were dumping within a regulated area. See NOV's 20190516 - A re-inspection was conducted at all 4 properties, 1 P/O started removing debris but did not complete. 20190620 - 3 P/O removed all debris within the regulated area, 1 P/O slowly removing debris, citations to continue until all debris within the regulated area is removed. Remaining property to be completely cleaned by 20190806 per Citation Appeal Officer or all fines to double. 20190814 - remaining property inspected, all debris has been removed and disposed off site. **Closed**

34-33A Lot East Main Street - 20190404 - EPT documenting current violation and issuing citations accordingly. 20190408 - EPT documenting current violation and issuing citations accordingly, unmarked oil drums were removed off site. 20190409 - EPT documenting current violation and issuing citations accordingly, trash in the woods was removed off site. 20190416 - EPT documenting current violation and issuing citations accordingly, Property Owner stopped receiving citations per Corp Councils direction. 20190418 - EPT documenting current violation and issuing citations accordingly, staged vehicles were being removed from the site. 20190430 - During the scheduled Citation Hearing a tentative agreement to remove all materials of concern and apply for development of the site. 20190624 - Millings are beginning to removed from the site, monitoring will continue. 20190719 - site has all violations repaired, grass seed has been spread in the attempt to stabilize all disturbed areas. 20190822 - Stabilization still has not occurred. **Pending**

360 Minor Street - 20190211 - Due to permit expiration a site investigation was conducted. Wetlands permit #1759 has not been completed as per the original building plan and construction schedules were not followed. Borghesi Builders has been contracted to complete the project as per plan before the expiration of the permit. 20190322 - Work has not begun to complete the project. 20190412 - Layout for the project has begun with CBYD. 20190816 - Proposed construction project is completed per plan. **Closed**

NOTICE AND NOTICE OF VIOLATION LETTERS:

26 Locust Street - NOV - Dumping along the edge of the brook. **Closed**

Lot 44 Valmore Road - NOV - Filling wetlands. **Pending**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

August 15, 2019

Carah Conlon
26 Locust Street
Bristol, Connecticut 06010

Re: Notice of Violation – Dumping Material at the edge of the Brook – 26 Locust Street

Based on an inspection of the intermittent waterway that crosses your property on August 12, 2019, it appears that there are current activities on the above referenced property that is in violation of the City's Inland Wetlands and Flood Plain Regulations. It appears that debris has been dumped at the edge of the brook within the regulated areas. This activity is not allowed according to *Appendix A Section 4.3: "All activities in wetlands or watercourses involving filling, excavation dredging, clear cutting, grading...shall require a permit"*.

You are required to take the following actions and repairs.

- Immediately cease placing any debris at the edge of the brook,
- Remove the existing debris from the edge of the brook,
- Restore the vegetation to pre-disturb conditions.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before August 29, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer





City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

August 22, 2019

Robert E. Loveland LLC
807 Jerome Avenue
Bristol, Connecticut 06010

**Re: Notice of Violation – Filling and grading within regulated area, Lot 44 Valmore Road
Bristol, CT 06010**

An inspection of the above mentioned property was conducted on August 21, 2019 during a routine Stormwater Trust pond review. It appears that filling of a regulated wetland area is occurring. It was also discovered that required conservation easement signage has not been installed per the approved plans. These conservation easement limits have been impacted, which is disturbing the natural indigenous character of the land.

You are required to take the following actions:

- Immediately cease all activity within the regulated area,
- Located and install **ALL** conservation easement signage throughout the entire project,
- Remove all materials deposited into regulated areas and restore the area to pre-disturbance conditions after conservation easement signage is installed,

Please contact the Engineering Division with a restoration plan and install Conservation Easement signage before August 29, 2019. Please be advised that failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
BRISTOL, CONNECTICUT 06010


INLAND-WETLANDS PLAQUE
SPECIFICATIONS

4" Diameter Disk with Factory Baked Finish
On White Coated Aluminum

5/16" Green Letter Imprint

2 Mounting Holes Centered






MARK TO BE POST or PLAQUE ON TREE DEPENDING ON FIELD LOCATION AS REQUIRED BY CITY I.W. OFFICER

CONSERVATION EASEMENT PLAQUE & POST DETAIL

N.T.S.




SUBDIVISION

Plan Granted Conditional Approval by
City Planning Commission, Bristol.
Conn. 1/24 2007
Attested Secretary
Or Attested Chairman

IN ACCORDANCE WITH SECTION 8-25 OF CONNECTICUT GENERAL STATUTES AND CITY OF BRISTOL SUBDIVISION REGULATIONS, NO LOTS IN THIS SUBDIVISION MAY BE SOLD OR OFFERED FOR SALE UNLESS FINAL APPROVAL HAS BEEN ENDORSED HEREON.

NOTICE

If All Public Improvements Are Not Completed and Accepted By The City of Bristol Prior to 11/14/2007 Pursuant to Section 8-25c of The General Statutes of Conn.



SITE LOCATION PLAN
1 Inch = 500 Feet

MAP NOTES:

- DEED REFERENCE = VOL. 334 PG. 489
- ASSESSORS REFERENCE = MAP 53; LOTS 34-52 VALMORE ROAD & BOWEN LANE
- ZONE = R-15
FRONT YARD = 25' SIDE YARD = 10'
REAR YARD = 25' LOT WIDTH = 100' MIN.
- OWNER: ROBERT E. LOVELAND
807 HEROME AVENUE
BRISTOL, CONNECTICUT 06010
- APPLICANT: (OWNER)
- THIS SURVEY HAS BEEN PREPARED PURSUANT TO THE REGULATIONS OF CONNECTICUT STATE AGENCIES SECTIONS 8-300-30 AND THE "STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT" AS ADOPTED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INCORPORATED ON SEPTEMBER 26, 1996.
- TYPE OF SURVEY = PROPERTY SURVEY (SUBDIVISION)
- BOUNDARY DETERMINATION CATEGORY = ORIGINAL SURVEY (PROPOSED LOTS) DEPENDENT RESURVEY (EXISTING BOUNDARY)
- THE MAP CONFORMS TO THE HORIZONTAL ACCURACY OF A CLASS A-2 SURVEY.
- THE MAP CONFORMS TO THE VERTICAL ACCURACY OF A CLASS T-2 SURVEY.
- BASE FOR NORTH IS CONNECTICUT STATE PLANE NAD 1927. VERTICAL DATUM NGVD 1929.
- FLOOD ELEVATIONS TAKEN FROM FIRM, FLOOD INSURANCE RATE MAP CITY OF BRISTOL, CONNECTICUT; HARTFORD COUNTY PANEL 4 OF 10 REVISED TO REFLECT LOMB DATED OCT. 15, 1991. COMMUNITY PANEL NUMBER: 090023 0004 B EFFECTIVE DATE: NOVEMBER 18, 1991
- INLAND WETLANDS FLAGGED BY DAVID LORD, SOIL RESOURCE CONSULTANTS ON AUGUST 15, 2005 AND NOVEMBER 14, 2005. FLAG FIELD LOCATED BY R.R. HILTBRAND ENGINEERS AND SURVEYORS NOVEMBER 2005.
- TOPOGRAPHY BASED ON AERIAL SURVEY PROVIDED BY GOLDEN AERIAL SURVEYS.
- TOTAL AREA OF SUBDIVISION: 428,462.85 SQ. FT., 9.836 AC.
- AREA OF FLAGGED INLAND WETLANDS: 91,529 SQ. FT.; 2.101 AC.

MAP REFERENCE:

- LOVELAND ACRES - SECTION 4 LAND IN BRISTOL, CONN. OWNED BY ROBERT E. LOVELAND SCALE 1"=40' DATE: JUNE 4, 1973 REV. TO 7/16/73
- DEPARTMENT OF ENGINEERING CITY OF BRISTOL, CONNECTICUT SCALE - HORIZONTAL 1"=40' VERTICAL 1"=8' SEWER LAID 1976

UTILITY EASEMENTS

LINE	LENGTH	BEARING
L1	18.83	N81°12'01"E
L2	78.87	N81°12'01"E
L3	207.63	S91°23'07"W
L4	220.09	N102°27'27"E
L5	119.06	N00°13'47"E
L6	149.29	N00°13'47"E
L7	16.78	N44°41'11"E
L8	50.00	N82°41'15"W
L9	41.24	S88°24'13"E
L10	18.00	S88°24'13"E
L11	6.25	N02°13'30"E
L12	31.22	N02°13'47"E
L13	22.81	N03°32'21"E
L14	81.88	N03°32'21"E
L15	82.88	N03°32'21"E
L16	65.00	N87°42'28"E
L17	119.72	N02°06'01"E
L18	160.00	N02°15'00"E
L19	20.00	N87°42'28"E
L20	145.00	S55°39'49"E
L21	143.87	S82°30'31"E

CURVE	LENGTH	RADIUS	Delta
C1	18.24	256.00	2°52'31"
C2	38.85	255.00	5°52'52"
C3	10.25	178.00	3°21'28"
C4	18.41	178.00	3°24'31"

TO MY KNOWLEDGE AND BELIEF, THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON.
Ronald H. Dufour
RONALD H. DUFOUR - L.S. / 12319

DATE:	REVISION
5/9/07	STAFF COMMENTS DATED 12/20/06
CONN. GRID	North
R. R. HILTBRAND ENGINEERS and SURVEYORS 340 MAPLE AVENUE BRISTOL, CONNECTICUT 06010 (860) 582 4548	
GRAPHIC SCALE 1 Inch = 40 Feet	
PREPARED FOR: LOVELAND BUILDERS 1000 LOVELAND ACRES BRISTOL, CT. 06010	
RECORD SUBDIVISION PLAN VALMORE ROAD LOVELAND ACRES - SECTION 4 BRISTOL, CT. 06010	
DATE:	September 2006
SCALE:	1"=40' H
DRAWN BY:	MJH
CHECKED BY:	RRH
SHEET NO.:	
RECORD SUBDIVISION	



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

Inland Wetlands
Environmental Protection Technician
Monthly Report

September 23, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	9/4, 9/11, 9/20	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	9/6, 9/13, 9/20	Act
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	9/6, 9/20	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	9/6, 9/20	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	9/6, 9/13, 9/20	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	9/6, 9/12, 9/20	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	9/6, 9/20	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	9/6, 9/12, 9/20	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	9/6, 9/13, 9/20	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	9/6, 9/13, 9/20	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	9/6, 9/13, 9/20	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	9/6, 9/13, 9/20	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	9/6, 9/12, 9/20	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	9/6, 9/13, 9/20	Inact

No.	Location	Description	Inspection Dates	Status
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	9/6, 9/13, 9/20	Inact
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	9/6, 9/13, 9/20	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	9/6, 9/12, 9/20	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	8/29, 9/6, 9/12, 9/20	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	9/6, 9/13, 9/20	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	9/6, 9/13, 9/20	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	9/6, 9/13, 9/20	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	9/6, 9/12, 9/20	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	9/6, 9/12, 9/20	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	8/29, 9/6, 9/12, 9/20	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	9/6, 9/13, 9/20	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	9/6, 9/12, 9/20	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	9/6, 9/12, 9/20	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	9/6, 9/20	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	9/6, 9/12, 9/20	Inact
#1859	76 Mountain View Road	Construct a house addition (Exp. 20231217)	9/6, 9/12, 9/20	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	9/6, 9/13, 9/20	Act
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	9/6, 9/13, 9/20	Inact
#1863	700 Emmett Street	Addition to existing building (Exp. 20240306)	9/6, 9/12, 9/20	Complete
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	9/6, 9/13, 9/20	Inact
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	9/6, 9/13, 9/20	Inact
#1867	201 Fox Hollow Lane	Grading and fence installation (Exp. 20240501)	9/6, 9/13, 9/20	Act

No.	Location	Description	Inspection Dates	Status
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	9/6, 9/13, 9/20	Inact
#1869	Marsh Road	Construct new house (Exp. 20240610)	9/6, 9/13, 9/20	Inact
#1872	489 Wolcott Street (Condos)	Roadway maintenance (20240702)	9/6, 9/20	Act
#1873	100 Redwood Drive	Install 2 sheds and gravel driveway (20240807)	9/6, 9/13, 9/20	Act
#1875	396 Hart Street	Topsoil and grade rear yard (20240807)	9/6, 9/13, 9/20	Act
#1879	780 King Street	Construct office building and parking lot (20240807)	9/20	Inact
#1880	394 Tiffany Lane	Construct in ground pool (20240904)	9/20	Act

SPECIAL INSPECTION:

Lot 44 Valmore Road - 20190821 - During a Stormwater Trust pond inspection it was discovered that filling of the wetlands was taking place. Upon further investigation conservation easement signage was not installed. See NOV. 20190827 - EPT spoke with property owner, debris to be removed following installation of 22 Conservation easement signs. 20190918 - EPT spoke with P/O, signs are to be located by surveyor and installed.

Pending

199 Tyler Way - 20190828 - During a neighboring inspection it was discovered that the area adjacent to the driveway is eroding with leaving sediment out onto the sidewalk and roadway. 20190918 - A follow-up inspection was conducted, the roadway and sidewalk were cleaned, however stabilization has not occurred.

Pending

503-511 Emmett Street - 20190828 - An inspection was conducted after a concern of debris along the brook was discovered. **See NOV**

118 El Toro Drive - 20190909 - An investigation was conducted due to a concern of a point discharge into an adjacent catch basin. 20190918 - The drainage pipe that was in the catch basin has been removed. **Closed**

45 Clark Avenue - 20190911 - A report was received that sediment laden runoff was leaving the property and entering the storm conveyance system. 20190913 - EPT and Enviro Eng onsite for inspection of cause, retaining area in SW corner of property being used as catchment retention area has failed allowing water to crest berm and enter adjacent catch basin. Nate was representative onsite, area of concern would be addressed to avoid future discharge the week of 20190916. 20190919 - A follow-up inspection was conducted, the area of concern has been repaired. During the next measurable rain a inspection will be conducted to ensure the storm runoff is retained onsite. **Closed**

C.O. INSPECTIONS:

Lot 12 Corbin Ridge

NOTICE AND NOTICE OF VIOLATION LETTERS:

199 Tyler Way - Notice - Sediment deposited on sidewalk and roadway. **Pending**

503-511 Emmett Street - Debris along the brook in a regulated area. **Pending**

118 El Toro Drive - Point Discharge into CB. **Closed**



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

September 12, 2019

Michael & Meghan Kulak
118 El Toro Drive
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 118 El Toro Drive Bristol, CT 06010

After responding to a complaint and conducting a field investigation concerning drainage from your property, it appears that a drain pipe from the residence is being directly discharged into an adjacent catch basin. This is not allowed.

You are required to take the following actions:

- Immediately cease discharge into adjacent catch basin and remove piping.
- OR, Submit an Storm Water Release Application with the Bristol Engineering Dept. to directly connect drainage to the storm conveyance system.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before September 26, 2019. Please be advised that failure to comply with the above request may subject you to further regulatory action.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon

Environmental Protection Technician

cc: Assistant City Engineer
Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

September 12, 2019

Richard Audet, Managing Agent
Pinewood Terrace Condominium Association Inc.
625 North Main Street
Bristol, CT 06010

Re: Notice of Violation – Dumping Material within regulated areas – 503-511 Emmett Street Bristol CT 06010

Based on a recent inspection of the brook within above referenced property, it appears that there are current activities that are in violation of the City's Inland Wetlands and Floodplain Regulations. It appears that debris (i.e. trash) has been dumped within the regulated areas.

You are required to take the following actions and repairs.

- Cease placing any debris within regulated areas,
- Immediately remove the existing debris,
- Consistently keep all dumpsters closed.

Please contact the Engineering Department with a remedial plan of action and conduct restoration by September 26, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in blue ink, appearing to read "J. Gagnon", with a horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer
Pet Supplies Plus







City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

September 6, 2019

Edward & Patricia Levin
199 Tyler Way
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 199 Tyler Way Bristol, CT 06010

Due to a concern, a field investigation was conducted on August 28, 2019 at the above mentioned property. It appears the grass area is being used as a driveway extension, which is causing erosion on the property. Sediment has been deposited on the sidewalk/roadway and has also flowed into the storm conveyance system.

You are required to take the following actions:

- Properly install temporary erosion control until vegetation is established,
- Immediately remove sediment from roadway,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before September 20, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon".

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer





City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

October 30, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	9/27, 10/4, 10/25	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	9/27, 10/4, 10/25	Act
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	9/27, 10/4, 10/10, 10/17, 10/24	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1799	465 Emmett Street	Two family residence (Exp. 20210119)	9/27, 10/4, 10/10, 10/17, 10/24	Complete
#1801	7 Ipswich Road	Earth berm, sidewalk and patio (Exp. 20210321)	9/27, 10/7, 10/25	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	9/27, 10/4, 10/24	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	9/27, 10/4, 10/25	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	9/27, 10/7, 10/25	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	9/27, 10/4, 10/25	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	9/27, 10/7, 10/25	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	9/27, 10/4, 10/10, 10/24	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	9/27, 10/4, 10/10, 10/17, 10/24	Inact

No.	Location	Description	Inspection Dates	Status
#1838	Lot 22 Old Cider Mill Road	Construction of single family house (Exp. 20230319)	9/27, 10/4, 10/10, 10/25	Complete
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	9/27, 10/4, 10/17, 10/24	Act
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	9/27, 10/7, 10/17, 10/24	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	9/27, 10/4, 10/10, 10/24	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	9/27, 10/25	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	9/27, 10/7, 10/25	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	9/27, 10/7, 10/10, 10/17, 10/24	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	9/27, 10/4, 10/17, 10/25	Inact
#1854	611 Witches Rock Road	Construct a detached garage (Exp. 20231015)	9/27, 10/7, 10/25	Complete
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	9/27, 10/7, 10/25	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	9/27, 10/4, 10/10, 10/17, 10/24	Inact
#1859	76 Mountain View Road	Construct a house addition (Exp. 20231217)	9/27, 10/7, 10/17, 10/24	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	9/27, 10/4, 10/10, 10/17, 10/24	Act
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	9/27, 10/4, 10/10, 10/17, 10/25	Inact
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	9/27, 10/7, 10/17, 10/25	Inact
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	9/27, 10/7, 10/25	Inact
#1867	201 Fox Hollow Lane	Grading and fence installation (Exp. 20240501)	9/27, 10/4, 10/17, 10/24	Complete
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	9/27, 10/7, 10/25	Inact

No.	Location	Description	Inspection Dates	Status
#1869	Marsh Road	Construct new house (Exp. 20240610)	9/27, 10/7, 10/25	Act
#1872	489 Wolcott Street (Condos)	Roadway maintenance (20240702)	9/27, 10/7, 10/25	Complete
#1873	100 Redwood Drive	Install 2 sheds and gravel driveway (20240807)	9/27, 10/4, 10/10, 10/17, 10/24	Act
#1875	396 Hart Street	Topsoil and grade rear yard (20240807)	9/27, 10/4, 10/17, 10/24	Act
#1879	780 King Street	Construct office building and parking lot (20240807)	9/27, 10/4, 10/24	Inact
#1880	394 Tiffany Lane	Construct in ground pool (20240904)	9/27, 10/7, 10/25	Act
#1883	40 Janice Lane	Construct of 2 car garage (20240904)	9/27, 10/7, 10/25	Inact

SPECIAL INSPECTION:

Lot 44 Valmore Road - 20190821 - During a Stormwater Trust pond inspection it was discovered that filling of the wetlands was taking place. Upon further investigation conservation easement signage was not installed. See NOV. 20190827 - EPT spoke with property owner, debris to be removed following installation of 22 Conservation easement signs. 20190918 - EPT spoke with P/O, signs are to be located by surveyor and installed. 20191023 - A re-inspection was conducted, no action has been taken, See NOV 2. 20191029 - Contractor contacted EPT so a inspection was conducted, all debris placed into the wetlands has been removed. Conservation easement signage to be staked out by surveyor to be installed by P/O. **Pending**

199 Tyler Way - 20190828 - During a neighboring inspection it was discovered that the area adjacent to the driveway is eroding with leaving sediment out onto the sidewalk and roadway. 20190918 - A follow-up inspection was conducted, the roadway and sidewalk were cleaned, however stabilization has not occurred. 20191023 - A re-inspection of the property was conducted, stabilization was never initiated sediment has been allowed to enter the sidewalk and roadway area. See NOV 2. **Pending**

503-511 Emmett Street - 20190828 - An inspection was conducted after a concern of debris along the brook was discovered. 20190927 - A re-inspection was conducted, all debris has been removed and disposed of. **Closed**

174 Evelyn Road - 20191010 - During a routine inspection at a neighboring property, it was discovered that a new retaining wall was installed. Sediments from the backfilled wall appears to be eroding and settling on the roadway, then entering the storm conveyance system. EPT left an Inspection Notice with instructions to remove sediment from roadway. 20191023 - A re-inspection was conducted, no action has been taken to remediate, See Notice. **Pending**

Coppermine Brook - 20191015 - In the portion of the brook between Farmington Avenue and Artisan Avenue, we received a complaint of rising waters due to a possible dam within the brook. An investigation was conducted, 2 smaller dams were located and removed, beavers are to be thought of the cause of these dams. Letters were sent to surrounding P/O to inform them that they are responsible for the maintenance within the brook on property they own. Two properties did have a small trees down that were attached in the letters. **Pending**

C.O. INSPECTIONS:

19 Brookview Circle - (unit13) Allentown Road

78 Jeanette Street

NOTICE AND NOTICE OF VIOLATION LETTERS:

174 Evelyn Road - Inspection Notice & Notice - Sediment deposited onto roadway. **Pending**

15 Vantana Drive - Notice - Drainage concerns within the brook. **Pending**

25 Vantana Drive - Notice - Drainage concerns within the brook. **Closed**

31 Vantana Drive - Notice - Drainage concerns within the brook. **Closed**

397 Brook Street - Notice - Drainage concerns within the brook. **Closed**

405 Brook Street - Notice - Drainage concerns within the brook. **Closed**

413 Brook Street - Notice - Drainage concerns within the brook. **Pending**

199 Tyler Way - NOV - Sediment deposited on sidewalk and roadway. **Pending**

Lot 44 Valmore Road - NOV 2 - Filling and grading within a regulated area. **Pending**



**CITY OF BRISTOL
PUBLIC WORKS
WETLANDS/FLOODPLAIN
INSPECTION NOTICE**

Date: 10/10/2019

Time: 10:27

AM/PM

Location:

174 EVELYN ROAD

The following violation(s) were observed or reported on the premises:

WITHIN CITY RIGHT OF WAY

Found within the:

- Wetlands
- Floodplain
- Conservation Easement

Issue(s) Found:

- Erosion control
- Filling
- Dumping of yard debris
- River/stream/brook blockage
- Dumping of brush/tree debris
- Excavation
- Regrading
- Structure

Comments:

PLEASE REMOVE SIGNMENT FROM
ROADWAY AND DISPOSE AT PROPERLY

Your cooperation and attention to the above matter is greatly appreciated.

Please contact the Environmental Protection Technician during
the following hours:

Monday - Friday 8:00AM to 4:30PM

Inspected by:

[Signature]

Environmental Protection Technician

Environmental Protection Technician
Front Desk

(860) 584-6116
(860) 584-6125
(860) 584-3838



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

October 24, 2019

Carole A. Holtz
174 Evelyn Road
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns – 174 Evelyn Road Bristol, CT 06010

On October 10, 2019 a field investigation was conducted at the above mentioned property. It appears a retaining wall in the driveway was recently replaced. Sediment has eroded from behind the wall and deposited on the roadway, it has also flowed into the storm conveyance system.

You are required to take the following actions:

- Properly install temporary erosion control until vegetation is established,
- Immediately remove sediment from roadway,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before November 7, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

October 17, 2019

Robert & Cheryl DeSantis
15 Vantana Drive
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns within the Brook – 15 Vantana Drive Bristol, CT 06010

Due to a concern, a field investigation was conducted on October 15, 2019 in the area of the above mentioned property. In the vicinity a water dam was discovered, and as a courtesy, the water dam was broken up to allow the brook to flow naturally. These water dams are the responsibility of the property owner and need to be maintained regularly. There are concerns that there are beavers in the area causing these dams, The City of Bristol is in contact to have the beavers removed from the area. During the investigation it was discovered that a tree had fallen from your property and landed within the brook. Our records indicate that you own to the center of the brook,

You are required to take the following actions:

- Immediately remove fallen tree from the brook,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before October 31, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J. Gagnon', is written over a horizontal line.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

City of Bristol

111 North Main Street

Bristol, CT 06010

www.bristolct.gov



Department of Public Works | 860.584.6125

October 17, 2019

John & Claire LaFrance
25 Vantana Drive
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns within the Brook – 25 Vantana Drive Bristol, CT 06010

Due to a concern, a field investigation was conducted on October 15, 2019 in the area of the above mentioned property. In the vicinity a water dam was discovered, and as a courtesy, the water dam was broken up to allow the brook to flow naturally. These water dams are the responsibility of the property owner and need to be maintained regularly. There are concerns that there are beavers in the area causing these dams, The City of Bristol is in contact to have the beavers removed from the area. Our records indicate that you own to the center of the brook.

For any questions or concerns, please feel free contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J. Gagnon', is written over a horizontal line.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

October 17, 2019

Neil Arthur & Eileen Bernier
31 Vantana Drive
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns within the Brook – 31 Vantana Drive Bristol, CT 06010

Due to a concern, a field investigation was conducted on October 15, 2019 in the area of the above mentioned property. In the vicinity a water dam was discovered, and as a courtesy, the water dam was broken up to allow the brook to flow naturally. These water dams are the responsibility of the property owner and need to be maintained regularly. There are concerns that there are beavers in the area causing these dams, The City of Bristol is in contact to have the beavers removed from the area. Our records indicate that you own to the center of the brook.

For any questions or concerns, please feel free contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J. Gagnon', with a long horizontal stroke extending to the right.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

October 17, 2019

Terry & Barbara Madore
397 Brook Street
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns within the Brook – 397 Brook Street Bristol, CT 06010

Due to a concern, a field investigation was conducted on October 15, 2019 in the area of the above mentioned property. In the vicinity a water dam was discovered, and as a courtesy, the water dam was broken up to allow the brook to flow naturally. These water dams are the responsibility of the property owner and need to be maintained regularly. There are concerns that there are beavers in the area causing these dams, The City of Bristol is in contact to have the beavers removed from the area. Our records indicate that you own to the center of the brook.

For any questions or concerns, please feel free contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J Gagnon', with a long horizontal flourish extending to the right.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

October 17, 2019

Daniel Krauth
405 Brook Street
Bristol, Connecticut 06010

Re: Notice - Response to Drainage Concerns within the Brook – 405 Brook Street Bristol, CT 06010

Due to a concern, a field investigation was conducted on October 15, 2019 in the area of the above mentioned property. In the vicinity a water dam was discovered, and as a courtesy, the water dam was broken up to allow the brook to flow naturally. These water dams are the responsibility of the property owner and need to be maintained regularly. There are concerns that there are beavers in the area causing these dams, The City of Bristol is in contact to have the beavers removed from the area. Our records indicate that you own to the center of the brook.

For any questions or concerns, please feel free contact us at (860) 584-6116.


Sincerely yours,

A handwritten signature in black ink, appearing to read 'J. Gagnon', is written over a light blue horizontal line.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

October 17, 2019

David, Richard, & Michael Procko
23 Milford Street
Burlington, Connecticut 06013

Re: Notice - Response to Drainage Concerns within the Brook – 413 Brook Street Bristol, CT 06010

Due to a concern, a field investigation was conducted on October 15, 2019 in the area of the above mentioned property. In the vicinity, a water dam was discovered, and as a courtesy, the water dam was broken up to allow the brook to flow naturally. These water dams are the responsibility of the property owner and need to be maintained regularly. There are concerns that there are beavers in the area causing these dams, The City of Bristol is in contact to have the beavers removed from the area. During the investigation it was discovered that a tree had fallen and landed within the brook, Our records indicate that you own to the center of the brook.

You are required to take the following actions:

- Immediately remove fallen tree from the brook,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before October 31, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J Gagnon', with a long horizontal line extending to the right.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

October 24, 2019

Robert E. Loveland LLC
807 Jerome Avenue
Bristol, Connecticut 06010

**Re: Notice of Violation 2 – Filling and grading within regulated area, Lot 44 Valmore Road
Bristol, CT 06010**

A re-inspection of the above mentioned property was conducted on October 23, 2019 following the August 22, 2019 Notice of Violation. It appears no action has been taken to restore the regulated areas that have been filled with yard debris materials. The required conservation easement signage still has not been installed per the approved plans. These conservation easement limits have been impacted, which is disturbing the natural indigenous character of the land.

You are required to take the following actions:

- Immediately cease all activity within the regulated area,
- Located and install **ALL** conservation easement signage throughout the entire project,
- Remove all materials deposited into regulated areas and restore the area to pre-disturbance conditions after conservation easement signage is installed,

Please make these corrections immediately, but no later than November 7, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

October 24, 2019

Edward & Patricia Levin
199 Tyler Way
Bristol, CT 06010

**Re: Notice of Violation – Response to Drainage Concerns – 199 Tyler Way Bristol CT,
06010**

A re-inspection on October 23, 2019 of the above mentioned property was conducted following the September 6, 2019 Notice. It appears that the area in question has not been stabilized and sediment is still being allowed to be deposited onto the sidewalk, enter the roadway and storm conveyance system. This is not allowed. Our records indicate that you own the above mentioned property. City of Bristol – Code of Ordinances: *Sec 21-6 (a) No waste paper, old clothing, bedding, ashes, dirt...shall be thrown or placed on any street or sidewalk within the limits of the city.*

You are required to take the following actions and repairs:

- Immediately install erosion control below eroded area along the southern portion of the driveway until vegetation is established,
- Immediately remove sediment from sidewalk and roadway.

Please make these corrections immediately, but no later than November 7, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**


To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J. Gagnon", with a long horizontal line extending to the right.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

November 25, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	11/1, 11/8, 11/20	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	11/1, 11/8, 11/20	Act
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	10/31, 11/7, 11/14, 11/20	Inact
#1783	380 King Street	4 three family residences (Exp. 20200518)	10/31, 11/7, 11/14, 11/20	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	10/31, 11/14, 11/20	Inact
#1801	7 Ipswitch Road	Earth berm, sidewalk and patio (Exp. 20210321)	11/1, 11/7, 11/22	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	10/31, 11/7, 11/14, 11/20	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	11/1, 11/18, 11/22	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	11/1, 11/22	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	11/1, 11/8, 11/20	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	11/1, 11/7, 11/20	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	10/31, 11/7, 11/14, 11/20	Act
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	10/31, 11/14, 11/20	Inact
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	10/31, 11/7, 11/14, 11/20	Act

No.	Location	Description	Inspection Dates	Status
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	10/31, 11/7, 11/14, 11/20	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	10/31, 11/7, 11/14, 11/20	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	10/31, 11/7, 11/14, 11/20	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	11/1, 11/7, 11/22	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	11/1, 11/8, 11/22	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	10/31, 11/7, 11/14, 11/20	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	10/31, 11/7, 11/14, 11/20	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	10/31, 11/7, 11/14, 11/20	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	10/31, 11/14, 11/20	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	10/31, 11/14, 11/20	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	11/1, 11/7	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	10/31, 11/7, 11/14, 11/20	Inact
#1859	76 Mountain View Road	Construct a house addition (Exp. 20231217)	10/31, 11/14, 11/20	Inact
#1861	95 Debra Lane	Construct a 2 car garage (Exp. 20240306)	10/31, 11/7, 11/14, 11/20	Complete
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	10/31, 11/14, 11/20	Inact
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	11/1, 11/20	Inact
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	11/1, 11/20	Inact
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	11/1, 11/8, 11/20	Inact
#1869	Marsh Road	Construct new house (Exp. 20240610)	11/1, 11/7, 11/20	Act
#1873	100 Redwood Drive	Install 2 sheds and gravel driveway (20240807)	10/31, 11/7, 11/14, 11/20	Act
#1875	396 Hart Street	Topsoil and grade rear yard (20240807)	10/31, 11/14, 11/20	Act
#1878	134 Terryville Road	Regrade and establish parking area (20241002)	11/1, 11/22	

No.	Location	Description	Inspection Dates	Status
#1879	780 King Street	Construct office building and parking lot (20240807)	10/31, 11/7, 11/14, 11/20	Inact
#1880	394 Tiffany Lane	Construct in ground pool (20240904)	11/1, 11/7, 11/20	Act
#1883	40 Janice Lane	Construct of 2 car garage (20240904)	11/1, 11/22	Inact
#1884	56 Frederick Street	Relocate shed (20241002)	10/31, 11/7, 11/14, 11/20	Inact
#1885	12 Cold Springs Road	Install inground swimming pool (20241002)	10/31, 11/7, 11/14, 11/20	Act
#1886	12 Old Cider Mill Road	Extend Patio and gravel driveway (20241002)	11/1, 11/14, 11/20	Inact
#1887	131 Battle Street	Replacement of CMP with RCP in driveway (20241002)	11/1, 11/14, 11/20	Complete

SPECIAL INSPECTION:

Lot 44 Valmore Road - 20190821 - During a Stormwater Trust pond inspection it was discovered that filling of the wetlands was taking place. Upon further investigation conservation easement signage was not installed. See NOV. 20190827 - EPT spoke with property owner, debris to be removed following installation of 22 Conservation easement signs. 20190918 - EPT spoke with P/O, signs are to be located by surveyor and installed. 20191023 - A re-inspection was conducted, no action has been taken, See NOV 2. 20191029 - Contractor contacted EPT so a inspection was conducted, all debris placed into the wetlands has been removed. Conservation easement signage to be staked out by surveyor to be installed by P/O. 20191106 - A re-inspection was conducted, the northern Conservation Easement signage has been install above the retention pond, all CE signs south of the retention pond (developed lots) to be installed ASAP. **Closed**

199 Tyler Way - 20190828 - During a neighboring inspection it was discovered that the area adjacent to the driveway is eroding with leaving sediment out onto the sidewalk and roadway. 20190918 - A follow-up inspection was conducted, the roadway and sidewalk were cleaned, however stabilization has not occurred. 20191023 - A re-inspection of the property was conducted, stabilization was never initiated sediment has been allowed to enter the sidewalk and roadway area. 20191119 - Citations began being issued on November 8, 2019.

174 Evelyn Road - 20191010 - During a routine inspection at a neighboring property, it was discovered that a new retaining wall was installed. Sediments from the backfilled wall appears to be eroding and settling on the roadway, then entering the storm conveyance system. EPT left an Inspection Notice with instructions to remove sediment from roadway. 20191023 - A re-inspection was conducted, no action has been taken to remediate, 20191105 - H/O contacted EPT, a re-inspection was conducted and area was fully cleaned. **Closed**

Coppermine Brook - 20191015 - In the portion of the brook between Farmington Avenue and Artisan Avenue, we received a complaint of rising waters due to a possible dam within the brook. An investigation was conducted, 2 smaller dams were located and removed, beavers are to be thought of the cause of these dams. Letters were sent to surrounding P/O to inform them that they are responsible for the maintenance within the brook on property they own. Two properties did have a small trees down that were attached in the letters. 20191119 - A inspection of the brook was conducted, trees to be removed remained within the brook, H/O on Vantana started to dump yard debris into the brook. **Pending**

167 Hopmeadow Road - 20191031 - During a local inspection it was discovered that sedimentation was being deposited onto the sidewalk and roadway from erosion during a measurable rain storm. A inspection notice was hand delivered for immediate response of the issue. 20191104 - A re-inspection was conducted, silt fence was installed and the roadway was swept clean to the catch basin 2 lots down. **Closed**

394 Tiffany Lane - 20191031 - During weekly wetland application site inspections it was discovered that during the back filling of the newly installed pool, erosion control methods were exhausted. EPT contacted applicant to resolve issue. 20191104 - a re-inspection was conducted, 6 inches of the existing silt fence was exposed by applicant, this is not acceptable and applicant was informed. 20191108 - A site inspection was conducted, silt fence repaired and is serviceable. **Closed**

El Toro Road - 20191105 - A concern of debris being placed within a regulated area was received. Multiple locations dumping yard debris along the brook area, Notices were sent to P/O. **Pending**

Pequabuck River/Andrews Street - 20191115 - Due to a concern a site inspection was conducted. East of Andrews Street Bridge a limb has fallen into the water, parcel is under review without a documented owner. City Engineer informed, Public Works may retrieve limb and remove. 20191120 - DPW removed tree from regulated area. **Closed**

285 Battle Street - 20191114 - During a drive by it was discovered that yard debris was placed within the flow path of the brook, the H/O arrived while the inspection was taken place. She was instructed verbally that debris needed to be removed immediately. 20191120 - A visual inspection was conducted, no action has taken place, See NOV. 20191125 - H/O contacted EPT, all debris has been removed from regulated area, a inspection was conducted to verify. **Closed**

C.O. INSPECTIONS:

147 Hull Street

NOTICE AND NOTICE OF VIOLATION LETTERS:

167 Hopmeadow Road - Erosion sedimentation deposited onto roadway. **Closed**

92 Peacedale Street - Dumping material at edge of brook. **Pending**

20 Del Prado Drive - Dumping material at edge of brook. **Pending**

40 Del Prado Drive - Dumping material at edge of brook. **Pending**

15 Vantana Drive - NOV - Drainage concerns within the brook. **Pending**

413 Brook Street - NOV - Drainage concerns within the brook. **Pending**



CITY OF BRISTOL
PUBLIC WORKS
WETLANDS/FLOODPLAIN
INSPECTION NOTICE

Date: 10/31/2019 Time: 2:08 AM/PM PM

Location: 107 HOPMEADOW ROAD

The following violation(s) were observed or reported on the premises:

Found within the:

- Wetlands
- Floodplain
- Conservation Easement

SIDEWALK, ROADWAY,
STORM CONVEYANCE SYSTEM

Issue(s) Found:

- Erosion control
- Filling
- Dumping of yard debris
- River/stream/brook blockage
- Dumping of brush/tree debris
- Excavation
- Regrading
- Structure

Comments: IMMEDIATELY INSTALL EROSION CONTROL
UNTIL STABLE SURFACE EST. REMOVE SEDIMENT
FROM ROADWAY & SIDEWALK TO CATCH BASIN 15'
PAST UTILITY POLE # 14173

Your cooperation and attention to the above matter is greatly appreciated.
Please contact the Environmental Protection Technician during
the following hours:

Monday – Friday 8:00AM to 4:30PM

Inspected by: [Signature]
Environmental Protection Technician

Environmental Protection Technician.....(860) 584-6116
Front Desk.....(860) 584-6125
Fax.....(860) 584-3838



Department of Public Works | 860.584.6125

November 5, 2019

SHF Properties, LLC
92 Peacedale Street
Bristol, Connecticut 06010

Re: Notice – Dumping Material at the edge of brook – 92 Peacedale Street

Based on a local inspection, it appears that there are current activities on the above referenced property that is in violation of the City's Inland Wetlands and Flood Plain Regulations. It appears that yard debris has been dumped at the edge of the brook within the regulated areas. This activity is not allowed.


You are required to take the following actions and repairs:

- Immediately cease placing any yard debris at the edge of the brook,
- Remove the existing yard debris from the edge of the brook and dispose of properly,
- Restore the vegetation to pre-disturb conditions.


Please contact the Engineering Department with a remedial plan of action and conduct restoration before November 19, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,


Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

November 5, 2019

Helen & Gregory Sneed
20 Del Prado Drive
Bristol, Connecticut 06010

Re: Notice – Dumping Material at the edge of brook – 20 Del Prado Drive

Based on a local inspection, it appears that there are current activities on the above referenced property that is in violation of the City's Inland Wetlands and Flood Plain Regulations. It appears that yard debris has been dumped at the edge of the brook within the regulated areas. This activity is not allowed.

You are required to take the following actions and repairs:

- Immediately cease placing any yard debris at the edge of the brook,
- Remove the existing yard debris from the edge of the brook and dispose of properly,
- Restore the vegetation to pre-disturb conditions.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before November 19, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.


To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J. Gagnon', is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

November 5, 2019

Gabriel Valerim
40 Del Prado Drive
Bristol, Connecticut 06010

Re: Notice – Dumping Material at the edge of brook – 40 Del Prado Drive

Based on a local inspection, it appears that there are current activities on the above referenced property that is in violation of the City's Inland Wetlands and Flood Plain Regulations. It appears that yard debris has been dumped at the edge of the brook within the regulated areas. This activity is not allowed.

You are required to take the following actions and repairs:

- Immediately cease placing any yard debris at the edge of the brook,
- Remove the existing yard debris from the edge of the brook and dispose of properly,
- Restore the vegetation to pre-disturb conditions.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before November 19, 2019. The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City.


To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'J. Gagnon'.

Jason Gagnon
Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer



Department of Public Works | 860.584.6125

November 19, 2019

Robert & Cheryl DeSantis
15 Vantana Drive
Bristol, Connecticut 06010

**Re: Notice of Violation - Response to Drainage Concerns within the Brook – 15 Vantana Drive
Bristol, CT 06010**

A re-inspection of the above mentioned property was conducting following the October 16, 2019 Notice. It appears no action has taken place in the removal of the fall tree with the flow path of the river. Upon further inspection, it was discovered that new yard debris has been placed within the flow path, this is not allowed. Our records indicate that you own to the center of the brook. City of Bristol – Code of Ordinances: *Sec Appendix A, 4.3: All activities in wetlands or watercourses involving filling, excavation, dredging, clear cutting, grading and excavation, or any other alteration or use of a wetland or watercourse not specifically permitted by this section, shall require a permit from the Agency....*


You are required to take the following actions:

- Immediately remove fallen tree from the brook and dispose of in a non-regulated area,
- Immediately remove deposited yard debris within the brook and along the bank.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 5, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol’s regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.


Sincerely yours,


Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

City of Bristol
111 North Main Street
Bristol, CT 06010
www.bristolct.gov



Department of Public Works | 860.584.6125

November 20, 2019

David, Richard, & Michael Procko
23 Milford Street
Burlington, Connecticut 06013

**Re: Notice of Violation - Response to Drainage Concerns within the Brook – 413 Brook Street
Bristol, CT 06010**

A re-inspection of the above mentioned property was conducting following the October 16, 2019 Notice. It appears no action has taken place in the removal of the fall tree with the flow path of the river. Our records indicate that you own to the center of the brook.

You are required to take the following actions:

- Immediately remove fallen tree from the brook,

Please contact the Engineering Department with a remedial plan of action and conduct restoration before December 5, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,


A handwritten signature in black ink, appearing to read 'J. Gagnon', is written over a horizontal line.

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

City of Bristol
111 North Main Street
Bristol, CT 06010
www.bristolct.gov



November 20, 2019

Department of Public Works | 860.584.6125

Sandra L. Lowe
285 Battle Street
Bristol, Connecticut 06010

Re: Notice of Violation – Dumping yard debris within the brook – 285 Battle Street Bristol, CT 06010

Based on a re-inspection of the brook following the November 22, 2017 Notice of Violation, it appears that yard debris is placed within the flow path of the brook, again. During a conversation on November 14, 2019, the yard debris was to be removed from the regulated area immediately. An inspection was conducted on November 20, 2019 with no action. Our records indicate that you own the brook. City of Bristol – Code of Ordinances: *Sec Appendix A, 4.3: All activities in wetlands or watercourses involving filling, excavation, dredging, clear cutting, grading and excavation, or any other alteration or use of a wetland or watercourse not specifically permitted by this section, shall require a permit from the Agency....*

You are required to take the following actions and repairs:

- Immediately cease placing any yard debris within a regulated area,
- Remove the existing yard debris from the regulated area,
- Restore the vegetation to pre-disturb conditions.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before November 27, 2019. **The failure to comply with the above request will subject you to further regulatory action, including but not limited to, legal fines and/or penalties by the City. A \$90.00 citation, per infraction will be issued daily until violations are resolved per the City of Bristol's regulations.**

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

Jason Gagnon

Environmental Protection Technician

cc: Inland Wetlands Commission
Environmental Engineer

City of Bristol
111 North Main Street
Bristol, CT 06010
www.bristolct.gov



City of Bristol
 DEPARTMENT OF PUBLIC WORKS
 BRISTOL, CONNECTICUT 06010

Inland Wetlands
 Environmental Protection Technician
 Monthly Report

December 23, 2019

Approved Applications Inspections

No.	Location	Description	Inspection Dates	Status
#1593	Cedar Hill Lots 12-42	Open space subdivision - Residential building lots (Exp. 20220519)	12/4, 12/11	Act
#1567	Allentown Road (Woodshire)	Wetland crossing with residential community (Exp. 20210919)	12/4, 12/10	Act
#1774	294 West Washington Street	Barn, greenhouse, farm stand (20191215)	11/26, 12/4, 12/13	EXPIRED
#1783	380 King Street	4 three family residences (Exp. 20200518)	11/26, 12/4, 12/13	Act
#1784	165 Warner Street	Removal of material for construction of single family residence (Exp. 20200615)	11/27, 12/5, 12/13, 12/19	Inact
#1801	7 Ipswich Road	Earth berm, sidewalk and patio (Exp. 20210321)	12/4, 12/11	Inact
#1803	Richards Court and Candy Lane	Stream channel and drainage improvements (Exp. 20210418)	11/27, 12/5, 12/13, 12/19	Inact
#1811	247 Park Street	Response to NOV, cut and fill, bridge, and deck (Exp. 20211017)	12/4, 12/10, 12/20	Inact
#1818	Matthews Street (Orchard Hill)	Roadway crossing and culvert installation associated with phase 3 (Exp. 20220417)	11/27, 12/5, 12/13, 12/20	Act
#1819	Allentown Road	Grading and water lateral installation (Exp. 20220417)	12/4, 12/10	Act
#1824	Marsh Road	Allow lot 2 to be constructed w/ full foundation (Exp. 20220717)	11/27, 12/5, 12/13, 12/20	Inact
#1827	894 Middle Street	Environmental remediation (Exp. 20220717)	11/26, 12/4, 12/12	Inact
#1830	51 Woodside Way	Construction of pool bldg. (Exp. 20220717)	11/27, 12/5, 12/13, 12/19	Inact
#1839	Lot 14 Perkins Street	Subdivision 8 homes (Exp. 20230319)	11/27, 12/5, 12/13, 12/19	Act

No.	Location	Description	Inspection Dates	Status
#1840	80 Rosemary Lane	Construct addition to existing home (Exp. 20230319)	11/27, 12/5, 12/12, 12/19	Inact
#1842	Louisiana Avenue	Remove and replace bridge (20230521)	11/27, 12/4, 12/12, 12/19	Inact
#1844	208 Jerome Avenue	Construction of driveway and utilities; new home (20230521)	11/27, 12/5, 12/13, 12/19	Act
#1845	Lot 1 Curtiss Street	Construction of self storage buildings (20230618)	11/27, 12/5, 12/13, 12/20	Act
#1846	Lot 21A Matthews Street	Construction of single family house (20230618)	12/5, 12/13	Inact
#1848	71 Horizon Drive	Grading within upland review area (Exp. 20230820)	11/26, 12/4, 12/12	Inact
#1850	43 Oxbow Drive	Construction of Garage (Exp. 20230716)	11/27, 12/5, 12/13, 12/19	Inact
#1851	Mix, Maltby, Jerome, Stafford	Test well for future potable well sites (Exp. 20230917)	11/27, 12/4, 12/12, 12/19	Inact
#1852	882 Burlington Ave	In ground swimming pool (Exp. 20230917)	11/27, 12/5, 12/13, 12/19	Inact
#1855	1235 Farmington Avenue	Construct Fast Food Restaurant (Exp. 20230917)	11/27, 12/5, 12/12, 12/19	Inact
#1856	12 Beecher Road	Construct house addition (Exp. 20231015)	12/4, 12/11	Inact
#1858	22 Cold Springs Road	Construct garage in upland review (Exp. 20231015)	11/26, 12/4, 12/11	Inact
#1859	76 Mountain View Road	Construct a house addition (Exp. 20231217)	11/27, 12/5, 12/12, 12/19	Inact
#1862	340 Maple Avenue	Construct a single family house (Exp. 20240306)	11/27, 12/5, 12/13, 12/19	Inact
#1864	School Street	Repair existing retaining wall (Exp. 20240403)	12/5, 12/13	Complete
#1865	Muzzy Field - Downs Street	Repair sidewalks and ramp upgrades (Exp. 20240501)	12/5, 12/13	Inact
#1868	Lot 21 Waterbury Road	Maintenance to existing haul road (Exp. 20240610)	12/4, 12/13	Inact
#1869	Marsh Road	Construct new house (Exp. 20240610)	11/27, 12/5, 12/13, 12/20	Act
#1873	100 Redwood Drive	Install 2 sheds and gravel driveway (20240807)	11/27, 12/5, 12/13, 12/19	Act
#1875	396 Hart Street	Topsoil and grade rear yard (20240807)	11/27, 12/5, 12/13, 12/19	Act
#1878	134 Terryville Road	Regrade and establish parking area (20241002)	12/4, 12/10, 12/20	Inact
#1879	780 King Street	Construct office building and parking lot (20240807)	11/26, 12/4, 12/13	Inact

No.	Location	Description	Inspection Dates	Status
#1880	394 Tiffany Lane	Construct in ground pool (20240904)	12/4, 12/11	Act
#1883	40 Janice Lane	Construct of 2 car garage (20240904)	11/27, 12/5, 12/13, 12/20	Inact
#1884	56 Frederick Street	Relocate shed (20241002)	11/27, 12/5, 12/13	Inact
#1885	12 Cold Springs Road	Install inground swimming pool (20241002)	11/26, 12/4, 12/11	Act
#1886	12 Old Cider Mill Road	Extend Patio and gravel driveway (20241002)	11/27, 12/4, 12/11, 12/20	Inact

SPECIAL INSPECTION:

199 Tyler Way - 20190828 - During a neighboring inspection it was discovered that the area adjacent to the driveway is eroding with leaving sediment out onto the sidewalk and roadway. 20190918 - A follow-up inspection was conducted, the roadway and sidewalk were cleaned, however stabilization has not occurred. 20191023 - A re-inspection of the property was conducted, stabilization was never initiated sediment has been allowed to enter the sidewalk and roadway area. 20191119 - Citations began being issued on November 8, 2019.

Coppermine Brook - 20191015 - In the portion of the brook between Farmington Avenue and Artisan Avenue, we received a complaint of rising waters due to a possible dam within the brook. An investigation was conducted, 2 smaller dams were located and removed, beavers are to be thought of the cause of these dams. Letters were sent to surrounding P/O to inform them that they are responsible for the maintenance within the brook on property they own. Two properties did have a small trees down that were attached in the letters. 20191119 - A inspection of the brook was conducted, trees to be removed remained within the brook, H/O on Vantana started to dump yard debris into the brook. **Pending**

El Toro Road - 20191105 - A concern of debris being placed within a regulated area was received. Multiple locations dumping yard debris along the brook area, Notices were sent to P/O. **Pending**

681 Broad Street - 20191210 - An inspection was conducted following the 2018 illicit discharge by the Enviro Eng and EPT. A 3rd oil water separator was installed to lessen the potential for a future discharge, a 4th oil water separator is being discussed for future installation. Oil/Water separator catch basin hoods were installed in open catch basins to once again lessen the potential for a breach off site. On site catch basin and infiltrator maintenance will be conducted annually, if inspections indicate biannual maintenance schedule is needed, P/O will adjust accordingly. **Closed**

74 Indian Trail - 20191219 - Due to a concern of ice, a site investigation was conducted. A sump pump is discharging from the home and traveling into the roadway causing adverse conditions. EPT spoke with H/O, H/O refused to correct situation as the home is being sold. 20191220 - H/O contacted EPT and stated he would correct situation following the holiday. **Pending**

C.O. INSPECTIONS:

Allentown Road - Woodshire - Unit 22

NOTICE AND NOTICE OF VIOLATION LETTERS:

74 Indian Trail - NOV - Icing on roadway from sump pump



City of Bristol
DEPARTMENT OF PUBLIC WORKS
BRISTOL, CONNECTICUT 06010

December 20, 2019

Brian Mayle
74 Indian Trail
Bristol, Connecticut 06010

**Re: Notice of Violation - Response to Drainage Concerns – 74 Indian Trail Bristol, CT
06010**

After responding to a complaint and conducting a field investigation on December 19, 2019 concerning runoff from your property, it appears that water from an area adjacent to the garage is running into the road and icing. This is hazardous for vehicles travelling the road and violates Bristol Code of Ordinances, "*Sec. 21-6 Unlawful deposits (b) No person shall throw, cast, lay, or negligently permit to fall upon the highways of this city...or other substance injurious to the traffic of such highways....*"

You are required to take the following actions:

- Immediately cease all runoff into the right of way.

Please contact the Engineering Department with a remedial plan of action and conduct restoration before January 3, 2020. Please be advised that failure to comply with the above request may subject you to further regulatory action. In addition, please note that if de-icing of the roadway caused by the runoff from the above mentioned property continues, the cost for time, materials, and equipment may be calculated and billed accordingly.

To arrange a time to meet and review progress on the restoration, please contact us at (860) 584-6116.

Sincerely yours,

A handwritten signature in black ink, appearing to read "J Gagnon", is written over a horizontal line.

Jason Gagnon
Environmental Protection Technician

cc: Director of Public Works
City Engineer
Environmental Engineer
Inland Wetlands Commission